




Mobile functional furniture for the healthcare sector



Catalogue valid from 2020

**Note: Some items may have been discontinued by 2025.
Please contact our sales department for further information.**

novocal – care in motion.

As a manufacturer of functional mobile furniture for Health Care, it is our desire to optimize and simplify the working life of nursing staff in hospitals, nursing care and retirement homes. Naturally, your patients are at the centre of your business, and our products allow staff to move from location to location quickly, smoothly and efficiently maximizing your care potential and reducing stress.

We are a technically broad and experienced team based in Ostrhauderfehn in the North of Germany. As a customer you will receive all your bespoke service needs from a single source: advice and quoting, processing and production as well as delivery and instruction.

All our products are made according to individual requirements with service, quality and fine detail our top priority.

Our product range includes functional furniture in the field of laundry logistics and waste management as well as general and special care trolleys, e.g. MRSA, endoscopy or module trolleys. In addition, we also offer all kinds of transport equipment, storage systems and components for sterile surgical areas. Numerous accessories are available to customize your products to suit your individual needs.

Within this catalogue you will find examples of both our wide ranging and individual assortment of products. If you have any special requests or enquiries, please do not hesitate to contact us. We will happily find a solution to any of your requirements. Our customers trust in us to deliver our promises.

Together we can set care in motion.



*Our promise:
Everything from a single source.
Reliable, sustainable, individual.
Your Novocal team*

Laundry Logistics

	Article Number	Catalogue Page
Linen Collectors Stainless Steel		
Wall mounting collector	NW10	11
„Compact“ 1-fold / „Compact plus“ 1-fold with push bar	NW71/NW81	11
„Compact“ 2-fold / „Compact plus“ 2-fold with push bar	NW72/NW82	12
„Compact“ 3-fold	NW73	12
„Compact plus“ 3-fold with push bar	NW83	13
„Compact“ 4-fold / „Compact plus“ 4-fold with push bar	NW74/NW84	13
„Compact“ 5-fold / „Compact plus“ 5-fold with push bar	NW75/NW85	13
„Compact“ 5-fold with centralised lid operating system	NW25-G	13
„Compact plus“ 3-fold to 5-fold with push bar	NW43F/NW44/NW45	14
Combination collector 2-fold / 3-fold with push bar	NW42-KS70/NW43-KS70	14
Combination collector 1-fold to 3-fold with push bar	NW81-KS70/NW82-KS70/NW83-KS70	15
Combination collector 4-fold with push bar	NW84-KS70	15
Accessories Linen Collectors		
Plastic lid with hook holder	KDH	16
Plastic lid w. plastic hinge & soft close system (coloured/transp.)	KDS/KDS-TR	16
Pedal device for hinged lid	TVD	16
Adhesive ring	SR400	16
Synthetic base tub for collectors 1-fold to 4-fold	KBW	16
Linen Bags		
Linen bags, different versions	TW1/TW2	17
Linen bags, waterproof and water-soluble	WTW2/HWW	17
Linen Nets		
Linen nets, different versions	N/NF	18
Toggle/Toggle made of rubber	DIBE/GK	18
Stainless Steel Undercarriages		
Stainless steel undercarriage with plastic tub/with push bar	WW1/WW2	19
Laundry Trolleys		
Overview Laundry trolleys	SW500-SW2000	20-21
Possible arrangements of adhesive rings		22
Laundry trolleys of the series SW500	SW500	23
Laundry trolleys of the series SW600	SW600	24
Laundry trolleys of the series SW700	SW700	25
Laundry trolleys of the series SW800	SW800	26
Laundry trolleys of the series SW900	SW900	27
Laundry trolleys of the series SW1000	SW1000	28
Laundry trolleys of the series SW2000	SW2000	29

Patient Care and Nursing Trolleys

PAW		
Overview Patient Care and Nursing Trolleys	PAW3000-PAW7000	30-31
Individual production		32
Patient care and nursing trolleys of the series PAW3000	PAW3000	33
Patient care and nursing trolleys of the series PAW4000	PAW4000	34
Patient care and nursing trolleys of the series PAW5000	PAW5000	35
Patient care and nursing trolleys of the series PAW6000	PAW6000	36
Patient care and nursing trolleys of the series PAW7000	PAW7000	37
Patient care and nursing trolleys of the series PAW8000	PAW8000	38
Patient care and nursing trolleys of the series PAW9000	PAW9000	39

	Article Number	Catalogue Page
Medicine Trolleys		
Medicine trolleys, various versions	MEDI5001/MEDI6002	40
Accessories		41
Module Trolleys		
Module trolleys series 6000	MOD	42
Module trolleys, open versions	OMW	43
Roll-Up utility trolley	RUWI	43
Modules		
ISO modules ABS, divisible, different sizes	ABS	44
ISO modules PC, divisible, different sizes	PC	45
Wire-netted baskets, different sizes	GK	45
Baby Changing Trolleys		
Baby changing trolleys, various versions	WW	46
System Trolleys		
System trolley "Modula"	NSW/NSWK	47
Endoscopy Trolley		
Endoscopy trolley	ENDO61000	48
Document Trolleys		
File and ward round trolley	NKV	49
Ergonomic documentation trolley, various versions	EDW	50
Catheter Trolleys		
Catheter trolley, various versions	KW1/KW2	51
Functional Trolleys with synthetic Surfaces		
Phoenixcare Cetos, various versions	CETOS	52-53
Patient trolley	PATW	54
Computer and IT Trolleys		
Computer Trolleys		
Computer trolley I, various versions	CW4000	55
Computer trolley II, various versions	CW5000	56
Computer trolley III, various versions	CW6000	57
IT trolley I	EDVW5400	58
IT trolley II	EDVW6102	59
Laptop Trolleys		
Laptop trolley (lowerable laptop compartment), various versions	LAW4000A	60
Laptop trolley (sideward-extendable laptop compartment), various versions	LAW4000S	60
Laptop trolley, height adjustable	LAW4300H	61
iPad Trolley		
iPad trolley	IPW4400	62
Power Supply Systems		
Power Supply System	PSS	63

MRSA / ISO Trolleys

	Article Number	Catalogue Page
Disinfection Stations		
DESI, mobile/floor model	DESI1/DESI2	64
Desicenter, stainless steel	DESICENTER-VA	65
Desicenter, coloured	DESICENTER-F	65
UV-C disinfection unit	UEKG01	66-67
MRSA trolley		
MRSA trolley with closed back and racks	MRSA1F	68
MRSA trolley with closed back and girder support system	MRSA1M	68
MRSA trolley with stainless steel back and racks	MRSA2F	69
MRSA trolley with stainless steel back and girder support system	MRSA2M	69

Accessories

Sideways fold-away working surface	SPA1	71
Extendable writing surface	SPA2	71
Sideways height-adjustable working surface (installation on the left/right)	SPA1H-L/SPA1H-R	71
Stainless steel plating, different sizes	EAK	71
ABS synthetic top, different sizes	ABSTOP	71
Tubular frame, different sizes	RGE	71
Side compartments	SF50	72
Girder support systems for ISO modules	MTW	72
Dividers for drawers - lengthwise/transverse	LTS/QTS	72
Surgical instrument container, incl. stainless steel fitting	IAB	72
Swab dispenser, euro-rack model	TSE	72
Cannula disposal container (hallow needle box), 1,5 l	MB	72
Mounting for cannula disposal container, various versions		MBH 72
Cannula disposal container mounting (set)		MBHS 72
Sliding handle, for installation on the left/right	BSL/BSR	72
Disinfectant dispenser, different sizes and versions	DMS	73
Disinfectant dispenser, 500 ml, automatic	DMSA	73
Drip pan, different sizes and versions	TS	73
Disinfectant closure plate, lockable	DMSV	73
Stainless steel pump with dosing limitation for disinfectant dispenser	EPD	73
Euro-rack, stainless steel, single-row/double-row	ES1/ES2	74
Euro-rack, stainless steel, height adjustable, single-row/double-row	ES1H/ES2H	74
Euro-rack, stainless steel, for lateral mounting	ESS	74
T-mounting	TH	74
F-mounting, for installation on the left/right	FHL/FHR	74
Stainless steel container for Euro-rack	EBHES	74
Implement basket	UTBES	74
Glove box mounting, various versions	HSB	75
Bins, various versions and sizes	SCHUETTEN	76
Wire-netted baskets	GK	76
Coat hooks, stainless steel	PHE	76
Coat hooks, plastic	PHK	76
Stainless steel kidney dish	NRS01	76
Catheter tubes, different sizes and versions	KK	76
Mounting for mouth protection box	MUBH	76
Automatic sensor waste bin, 8 l	KB8A	77
Automatic sensor waste bin, 8 l, incl. stainless steel fitting	KB8A-E	77
Synthetic waste bin, 9 l for PAW and SW	KB9	77
Synthetic waste bin, 9 l, incl. stainless steel fitting	KB9-E	77
Synthetic waste bin, 15 l for PAW and SW	KB15	77
Synthetic waste bin, 15 l, incl. stainless steel fitting	KB15-E	77
Hygienic waste bin SLIDE, various sizes and versions	SLIDE	77

	Article Number	Catalogue Page
Cylindrical twist lock	ZY	78
Combination lock in two versions	ZS	78
Electronical numeric code pad	BSML	78
Transponder lock	TPS01	78
Monitor mounting	MH	78
iPad mounting	IPH	78
Furniture safe, various versions	MT1/MT2	78
Drip stand holder / IV-pole holder	IFH	79
Oxygen-cylinder holder	SFH01	79
Master adjusting device for patient care and nursing trolleys	ZFS	79
Magnetic holder	HMF	79
Door holder, central	DFST	79
Wheels, various versions		80
Shelf for defibrillator	ADEF	80
Reanimation panel	RP01	80
help-System/fire extinguisher system		80

Waste Collectors

Waste Collector, Stainless Steel

Waste collector „Compact“ 1-4-fold, stainless steel	NA	81
---	----	----

Waste Collector „Genius“

Waste collector „Genius“, floor model, 40 l/70 l	S40/S70	82
Waste collector „Genius“, mobile, 40 l/70 l	S40L/S70L	82
Waste collector „Genius“, mobile, 70 l, 2-fold	S70L-2	82
Waste collector „Genius“ with braking function	S70L-B	83
Accessories for waste collector „Genius“		83

Waste Collector with Bag Cassette/with Vacuum Unit

Bag cassette, various versions	LGP	84
Collector for bag cassette	NAL	84
Waste sealing unit with closed undercarriage, various versions		85
Waste sealing unit with open undercarriage, various versions		85
Waste collector „Genius Plus“	S70LPLUS	86
Valve bags	VSTP01	86
Vacuum device NOVOVAC	NOVOVAC01	87
Vacuum bags, white/transparent	VAKWS01/VAKTP01	87

Recyclable collector

Recyclable collector for synthetic containers, 50 l, 1-4-fold	GSE	88
Recyclable collectors of the series 2000, various versions	NWE	89
Room recyclable collector, 2-4-fold	ZSE	90
Recyclable collector with coloured synthetic boxes, various versions	WKK	91
Recyclable cabinet of the series 3000, 1-4-fold	ZWK	92
Recyclable cabinet, stainless steel, 1-4-fold	EWK	93
Recyclable cabinet, aluminium, 1-4-fold	NWKA	94

Waste collector with pedal

Pedal dust bin, stainless steel	EE	95
Pedal dust bin, galvanized, various sizes	EL	95
Pedal dust bin, stainless chromium steel, various sizes	EC	95
Closable dustbin, stainless steel, various sizes	GAE	95

Transport and Storage systems

	Article Number	Catalogue Page
Drug Cabinets		
Drug cabinets	MS	96-97
Storage System		
Series FLEXISTORE	FLEXISTORE	98-99
Multi-purpose Trolleys		
Multi-purpose trolley, stainless steel, solid core shelves	SEV	100
Multi-purpose trolley, stainless steel, melamine resin coated shelves	SEM	100
Multi-purpose trolley „Silverline“	S	101
Multi-purpose trolley, synthetic	4091/4093	101
Multi-purpose trolley, stainless steel, closed	SEG	102
Multi-purpose trolley, stainless steel, open	SE	102
Serving Trolleys		
Tea cart	FS	103
Tray Trolley		
Tray trolley, various versions	TW	103
Tray trolley, stainless steel, various versions and sizes	TBW	104
Sorting Trolleys		
Combined sorting trolleys, various versions and sizes	KSR	105
Coat stand, various versions and sizes	KI	105
Rack trolleys, various versions and sizes	RA	106
Sorting Rack Trolley		
Sorting rack trolley, various versions and sizes	SR	107
Standing racks, various versions and sizes	ST	108
Compartment dividers	F	109
Corner posts	P	109
Grid shelves	GB	109
Border grids	RG	109
Textile protective cover	H	110
Pull-out clothing rail	AK	110
Label holder	EK	110
Border poles	RSB	110
Sliding handle for rack trolleys	BSR	111
S-shaped hooks	SH	111
Brackets for border poles	KKL	111
Buffer plates	SSR	111
Directional locking	RIFIX	111
Base plate	FP	111
Transport Trolleys		
Skeleton container trolley	GTR	112
Transport trolley, stainless steel, foldable shelves	TRE91	112
Transport trolley, stainless steel, with / without back, various sizes	TRE	113
Front wall trolley	STE	113
Cabinet Trolley		
Module trolley, closed, various versions	GM	114
Cabinet trolley, aluminium, various versions and sizes	GS	115-117
Spring-base trolley, various sizes	GFW	118

	Article Number	Catalogue Page
Transport containers, aluminium, water-tight	GTC1	118
Transport container, aluminium, with side panel cut-outs, various sizes	GTC2	118
Transport container, aluminium, hinged lid	GTC350	119
Transport container, aluminium, open	GTW	119
Transport container, aluminium, with foldable front panel	GTWK	119
Transport boxes, aluminium, various sizes	TK	120
Transport container, aluminium, perforated	GTW/L	121

OP Equipment

Transport Trolleys for Sterile Materials

Transport trolleys for sterile materials for inner module frames	CI-STGW	122
Inner frame for transport trolleys	CI-IRA	123
Transport trolleys for sterile materials with bearing rails for modules	CI-STGW	124-125
Transport trolleys for sterile materials with fixed/movable shelves	CI-STGW-FB/-A	126
Rack trolley for sterile materials	CI-STGR	127
Sterile cabinet	CI-STG-SCHRANK	127

OP Equipment

Drip stand/IV-pole	IS	128-129
Accessories for drip stand/IV-pole		130-131
OP stool, various versions	CI-OPH	132
OP tables, various versions	CI-OPB	133
Table for OP instruments, various versions	IE01/CI-IES	134
Working and storage table, mobile and floor model	ATE/CI-ATE	135

Stainless Steel Fabrications

Operation room step	OPT	136
Bowl retainer	SST01	136
Trolley for abdominal bandages	BTW01	136
Hook trolley	HW01	136
Room cleaning trolley	RW01	137
Lab coat stand, stainless steel, various sizes	KI	137
Mangle rack, stainless steel, various sizes	MB	137
Stainless steel mounting for urine bottles, various versions	UF	138
Stainless steel mounting for toilet pails, various versions	TE	138
Stainless steel mounting for bedpans, various versions	SB	138
Stainless steel wall shelf	WSU	138
Trolley for bedpans and urine bottles	TW-US8	138
Shoe rack, various versions	WSR/SRW	139










Seating

ModernArt	140
Relax'nFit	141-142

Index

Index of abbreviations and article numbers in alphabetic sequence	144-145
---	---------

Overview of available colours

					
White (WS)	Vanilla (VL)	Pastel Yellow (PG)	Lemon Yellow (ZG)	Orange (OR)	Orchid (OC)
					
Red (RT)	Lime Green (LI)	Aqua (AQ)	Light Blue (HB)	Steel-blue (SB)	Silver (SI)
					
Light Grey (LG)	Aubergine (AU)	Anthracite (AZ)	Cashmere (CS)	Basalt (BS)	Lava Grey (LV)
					
Truffle (TF)	Cement (BT)	Acer (AH)	Corsica-Pear (KB)	Acacia (AK)	Norway Maple (SA)
					
Walnut (NB)	Beech (BU)	Oak-Basalt (EB)			

! Please note:
The pictured colour palette may
slightly deviate from colour and structure
of the original material!

Linen Collectors

NW71
Series Compact



NW71
Image with optional accessories KDS, TVD and KBW



NW81
Series Compact Plus



„Compact“ and „Compact Plus“

These linen collectors are distinguished by their compact and shapely design. The construction is designed to protect your walls from damage by utilising hinged lids.

Our linen collectors are available as 1-fold to 5-fold collectors. Various arrangements are possible.

The linen collectors all consist of:

- a buffed stainless steel frame
- continuously welded pipe joints
- 4 castor wheels Ø 75 mm, with 2 brakes
- adhesive ring SR400
- various accessories available
- also available as wall-mounted collector or add-on for our laundry trolleys

Our linen collector Compact Plus is additionally equipped with:

- push bar
- 4 bumper discs

Further accessories for our linen collectors can be found on page 16.

Custom made products are possible. Please contact us to plan an individual solution for your purpose.

Wall mounting collector

NW10



Article Number	Total Dimensions BxDxH mm
NW71	420 x 540 x 940
NW81	450 x 565 x 965
NW10	390 x 330 x 325

NW72



NW72

Image with optional accessories KDS and TVD



NW82

Image with optional accessories KDS, KBW and TVD



NW73



NW73

Image with optional accessories KDS and TVD



Article Number	Total Dimensions BxDxH mm
NW72	620 x 530 x 940
NW82	660 x 565 x 965
NW73	970 x 530 x 940
NW83	1000 x 565 x 965
NW74	1320 x 530 x 940
NW84	1340 x 565 x 965
NW75	1625 x 530 x 940
NW85	1645 x 565 x 965
NW25-G	1625 x 530 x 940

Linen Collectors

NW83

Image with optional accessories coloured adhesive rings, KDS-TR and TVD



NW74



NW84



NW75



NW85



NW25-G
With centralised lid operating system

NW43F
With coloured
adhesive rings



NW42-KS70



NW44
Image with
optional accessories
KDS and TVD



NW43-KS70



NW45



Article Number	Total Dimensions BxDxH mm
NW43	910 x 660 x 950
NW44	1060 x 660 x 950
NW45	1255 x 660 x 950
NW42-KS70	960 x 660 x 950
NW43-KS70	1350 x 660 x 950
NW44-KS70	1440 x 660 x 950
NW45-KS70 (not shown)	1810 x 660 x 950

Linen Collectors



Combination Collectors for Linen and Waste

This collector series is a combination of our stainless steel waste collector „Genius“ KS70 (see page 82) and various linen collectors from the series „Compact Plus“.

The clamping ring of the KS70 is operated by a foot pedal for ease of use and hygiene.

The adhesive ring of the linen collectors can be equipped with hinged lids and opening pedals.

The waste collectors are equipped as follows:

- adhesive ring SR400
- synthetic base tub
- 4 bumper discs
- 4 castor wheels Ø 75mm, with 2 brakes

NW81-KS70

Image with optional accessory KDS



NW82-KS70



NW83-KS70



NW84-KS70

Image with optional accessories KDS and TVD



Article Number	Total Dimensions BxDxH mm
NW81-KS70	890 x 580 x 965
NW82-KS70	1080 x 580 x 965
NW83-KS70	1430 x 580 x 965
NW84-KS70	1840 x 580 x 965

KDS-TR

Transparent lid incl.
plastic hinge with soft close



KDH

Loose lid



KDS

Hinged lid with soft close



Lid colours



transparent



Transparent plastic lid

with coloured adhesive rings

- Filling level of laundry and waste bags are conveniently visible at any time without opening the lid.
- The coloured adhesive rings eliminated the complex assembly of the plastic lids, if you want to change the colour.
- The adhesive rings are easily exchangeable.
- The coloured clamping rings allow a simple classification to the corresponding laundry



KBW

Synthetic base tub,
grey, deliverable in different sizes



SR400

Adhesive ring



Adhesive ring colours



TVD

Pedal for hinged lid



Accessories for Linen Collectors



Textile Linen Bags

The novocal textile linen bags, which are self-opening during the washing process, are made of a high quality polyester fabric. The high quality polyester-fabric brin can be washed at the highest temperatures and offers a long lifespan.

A special dye and thermo-fixation prevent the colours from fading as well as the material from shrinking.

All novocal linen bags comply with legal directives and guidelines issued by the German Health Authorities and relevant professional associations.

- self-opening and fitted with a toggle
- textile quality: 100% Polyester
- Content: approx. 12kg linen
- areal weight: 220g/sq m

TW1 - base colour white, 2 horizontal coloured stripes

Selectable colours: red, yellow, blue, green, brown, grey, orange or without stripes



TW2 - fully coloured, 2 horizontal coloured stripes

Selectable colours: red, yellow, blue, green, grey, brown and orange



Article Number		Dimensions mm
TW1	white, coloured stripes	575 x 1000
TW2	fully coloured	575 x 1000

WTW2 - waterproof textile bags



Article number		Dimensions mm
WTW2B	blue	600 x 1000
WTW2G	yellow	600 x 1000

HHW - water soluble laundry bags

These water soluble laundry bags are made to avoid human contact with contaminated materials. The bags are available in transparent or coloured and can be printed with your logo and other information.



Article Number		Dimensions mm
HHW5865	Hot water soluble from 65°	500 x 800
HHW6865	Hot water soluble from 65°	600 x 800
HHW71065	Hot water soluble from 65°	700 x 1000
HHW61045	Warm water soluble from 45°	600 x 1000

Linen Nets

The novocal linen nets are made of high quality polyester fabric and withstand high temperature washing. Colours do not fade.

N/NF



In addition to the nets listed below, other sizes and designs are available.

All sizes are optionally available with zipper.



Article Number		Dimensions mm
N46	white	400 x 600
NF46	fully coloured	400 x 600
N57	white	500 x 700
NF57	fully coloured	500 x 700
N69	white	600 x 900
NF69	fully coloured	600 x 900
N810	white	800 x 1000
NF810	fully coloured	800 x 1000

Toggles


GK

Toggle made of rubber
available in white, red, yellow, green, blue and brown

GK 2 2 holes, 215 mm, only red and white

GK 3 3 holes, 180 mm

GK 4 4 holes, 215 mm



DIBE

white toggle with ring available in the following colors:
white, yellow, red, green, blue, brown, grey and black




DIBE-N

white toggle with ring available in the following colors:
white, yellow, red, green, blue, brown, gray and black
with individual label



Woven text

The novocal linen bags are also available with an optional
text woven into an additional middle-stripe.



Accessories for Linen Collectors

Stainless Steel Chassis with Plastic Tub

- Undercarriage: stainless steel
- Wheels: 4 castor wheels, Ø 75 mm
- Plastic tub 90 liters, available in white, red or blue
- WW2: additional push bar

Individual dimensions are available on request!

KW90R



KW90W



KW90B



WW1



WW2



Article Number	Total Dimensions BxDxH mm
WW1	780 x 550 x 800
WW2 with push bar	850 x 550 x 905

SW500



Laundry Trolleys SW

The laundry trolleys presented in the following section serve to streamline your work processes and offer the highest degree of hygienic safety.

All laundry trolleys consist of

- a buffed stainless steel frame with continuously welded pipe joints
- a cabinet made of special sheets and worktops, quality class E1 with double-sided melamine resin coating and a 2 mm thick ABS-safety edge foil
- 4 castor wheels Ø 125mm, with 2 brakes

In every series, the laundry trolleys are also available with a device to connect our linen collectors. They are equipped with an adhesive ring which is suitable for textile linen bags, linen nets and laundry bags.

Series SW600, SW700, SW900, SW1000 and SW2000 are also available with one or two drawers or a compartment that can be closed by roller blinds.

Linking Feature

Laundry trolleys with a linking feature to connect linen collectors are becoming increasingly popular. In two easy steps the linen collector can be attached or removed from the trolley. Our linking feature is designed such that linen collectors can be added freely to laundry trolleys already in use.

Standard colour: light grey (LG)

All available colours can be found in the colour palette on page 10.

SW600



SW700



! Appropriate accessories such as disinfection dispensers, glove boxes or writing plates can be found from page 71.

Article Number	Total Dimensions BxDxH mm
SW500	635 x 540 x 1080
SW600	635 x 590 x 1080
SW700	635 x 590 x 1275
SW800	490 x 580 x 1080
SW900	490 x 580 x 1080
SW1000	635 x 590 x 1275
SW2000	635 x 660 x 1010

Overview Laundry Trolleys



SW800



SW900



SW1000



SW2000

Image with optional railing



Linking Feature K
available for all laundry trolleys



Side compartments SF50
available for SW600/SW700



DEM
Lid with magnet
available for all laundry trolleys



Laundry Trolley with Integrated Collector System

SW620-KS70

6

:

model series

2

:

number of adhesive rings

0

:

number of drawers in the laundry trolley

KS70


:

waste collector at the front


front view with
2 drawers




2 adhesive rings




3 adhesive rings




4 adhesive rings




2 adhesive rings and KS70



3 adhesive rings and KS70



4 adhesive rings and KS70



Laundry Trolley with Coupled Collector System

SW620K-KS70

6

:

model series

2

:

number of adhesive rings

0

:

number of drawers in the laundry trolley

K

:

linking Feature for collector system

KS70


:

waste collector at the front


front view with
2 drawers




2 adhesive rings




3 adhesive rings




4 adhesive rings




2 adhesive rings and KS70



3 adhesive rings and KS70



4 adhesive rings and KS70



Laundry Trolleys SW500



This series has open storage shelves for clean linen that can be accessed from three sides of the trolley. Standard colour is light grey.

The SW500 can be combined with all of our collectors (optional 2, 3 or 4 adhesive rings) - SW520, SW530 or SW540.

There are also systems with adapted linking features available - SW520K, SW530K, SW540K.

Additionally, the waste collector „Genius KS70“ (p. 82) can be mounted at the front of the laundry trolleys.

SW500



SW500K



SW500-W5



SW520



SW530

Image with optional accessories KDS and TVD



Article Number	Total Dimensions BxDxH mm
SW500	635 x 540 x 1080
SW520	600 x 950 x 1080
SW530	600 x 1330 x 1080
SW540	600 x 1530 x 1080
SW500K	635 x 555 x 1080

Laundry trolleys of the series SW600 have a closed cabinet for clean linen (dimensions inside: 515 x 495 x 650 mm, BxDxH). The two storage shelves are adjustable in height and can be taken out completely. Doors that fully swing out allow easy access to the stored clean linen.

Also here, linking features can attach any collector either in a fixed or removable fashion.

All models can be provided with the waste collector „Genius KS70“ (page 82).

SW600



SW600K



SW620K

Image with optional accessories KDS and TVD



SW600-KS70



SW620



SW620-KS70



SW630



Article Number	Total Dimensions BxDxH mm
SW600	635 x 590 x 1080
SW620	605 x 1030 x 1080
SW630	605 x 1370 x 1080
SW640	605 x 1565 x 1080
SW600K	635 x 605 x 1080

Laundry Trolleys SW700



Series SW700 laundry trolleys have a closed cabinet for clean linen (dimension inside, B x D x H: 515 x 495 x 870 mm). The two storage shelves are adjustable in height and can be taken out completely. Doors fully swing out allow easy access to the stored clean linen.

Additional linking features can attach any collector either in a fixed or removable way. Furthermore, laundry trolleys of this series can also be equipped with either one or two drawers. All models can be provided with the waste collector „Genius KS70“ (page 82).

SW700



SW701K

Image with optional drawer with ZY



SW702K



SW720



SW721

Image with optional accessories
KDS
and
SPA2



SW732

Image with optional accessories
KDS and TVD



Article Number	Total Dimensions BxDxH mm
SW700	635 x 590 x 1275
SW701	635 x 590 x 1275
SW702	635 x 590 x 1275
SW720	605 x 1030 x 1275
SW730	605 x 1370 x 1275
SW740	605 x 1565 x 1275
SW700K	635 x 605 x 1275

Series SW800 models are distinguished by their reduced width of only 490 mm. Here the adhesive rings are located in a row, one behind the other. As with models of the SW500 series, this series has open storage shelves for clean linen that can be accessed from three sides of the trolley.

Linking features can attach almost any collector either in a fixed or removable fashion.

Models of this series can be provided with the waste collector „Genius KS70“ (page 82).

SW800



SW800K



SW810K-KS70

Image with optional accessory KDS



SW810

Image with optional accessory KDS



SW820

Image with optional accessories KDS and TVD



Article Number	Total Dimensions BxDxH mm
SW800	490 x 580 x 1080
SW810	490 x 980 x 1080
SW820	490 x 1300 x 1080
SW830	490 x 1595 x 1080
SW840	490 x 1890 x 1080
SW800K	490 x 595 x 1080

Laundry Trolleys SW900



SW900 are also distinguished by their reduced width of only 490 mm. The adhesive rings are located in a row, one behind the other. The difference from the SW800 series is the addition of a closed cabinet for clean linen and an access door. The two storage shelves are adjustable in height and can be

taken out completely. Linking features can attach almost any collector either in a fixed or removable fashion. Models of this series can be provided with the waste collector „Genius KS70“ (p. 82).

SW900



SW900K



SW910-KS70

Image with optional accessories
KDS and TVD



SW920K

Image with optional accessories
KDS and TVD



SW930

Image with optional accessories
KDS and
TVD



Article Number	Total Dimensions BxDxH mm
SW900	490 x 580 x 1080
SW910	490 x 1020 x 1080
SW920	490 x 1230 x 1080
SW930	490 x 1560 x 1080
SW940	490 x 1825 x 1080
SW900K	490 x 590 x 1080

Laundry trolleys of this series are built similar to the SW700 series. However, instead of a drawer system trolleys have a utensil rack, which can be closed and locked by a roller blind.

Linking features can attach almost any collector either in a fixed or removable fashion. Models of this series can be provided with the waste collector „Genius KS70“ (p. 82).

SW1000



SW1000K



SW1020

Image with optional accessory KDS



SW1010K

Image with optional accessories KDS, TVD and ZY



SW1020K-KS70

Image with optional accessories DMS5, TS5, KDS and TVD



Article Number	Total Dimensions BxDxH mm
SW1000	635 x 590 x 1275
SW1020	605 x 1030 x 1275
SW1030	605 x 1370 x 1275
SW1040	605 x 1565 x 1275
SW1000K	605 x 605 x 1275

Laundry Trolleys SW2000



Different from our other models and series, the SW2000 has a complete front that can be closed and locked by roller blind. The storage shelves are adjustable in height and can be taken out completely.

Linking features can attach almost any collector either in a fixed or removable fashion. Models of this series can be provided with the waste collector „Genius KS70“ (p. 82).

SW2000



SW2000K

Image with optional railing



SW2020



SW2020

Image with optional accessories KDS and TVD




SW2020K

Image with optional accessories KDS and TVD




Article Number	Total Dimensions BxDxH mm
SW2000	635 x 660 x 1010
SW2020	600 x 1075 x 1010
SW2030	600 x 1385 x 1010
SW2040	600 x 1505 x 1010
SW2000K	635 x 690 x 1010


PAW3000 see page 33



PAW4000 see page 34



PAW5000 see page 35



Patient Care and Nursing Trolleys PAW

Our patient care and nursing trolleys series PAW3000 to PAW9000 allow the flexible use in all areas of patient care and nursing. From a multitude of combination possibilities you will find examples of each series' models on the following pages. Like our laundry trolleys, our patient care and nursing trolleys are available in various colours.

Cabinet and fascia colour can be chosen individually.

Undercarriage

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. Four castor wheels (from PAW6000 up with five castor wheels) Ø 125 mm, with two brakes, guarantee easy use.

Cabinet

The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

Working Surface

As standard, all patient care and nursing trolleys have a working surface with rounded edges. The soft-drawers run on telescopic slides, which have a self-closing function.

The storage shelves are adjustable in height and can be taken out completely.

Standard colour: light grey (LG)

Edge veneer: light grey (LG)

Special colours on request.

Accessories

- stainless steel gallery
- ABS top
- divider for drawers
- functional tracks/rails
- mounting for bins
- fold-away working surface
- girder support system for modules

The complete overview of accessories available for our patient care and nursing trolleys can be found on pages 71-80.


It would be our pleasure to be your consultant and offer you a customised proposal based on your specific needs.

Overview Patient Care and Nursing Trolleys

PAW6000
see page 36



PAW7000
see page 37



PAW8000
see page 38



PAW9000
see page 39



Article Number	Cabinet Dimensions BxDxH mm
PAW3000	356 x 490 x 905
PAW4000	450 x 490 x 905
PAW5000	550 x 490 x 905
PAW6000	656 x 490 x 682
PAW7000	712 x 490 x 905
PAW8000	800 x 490 x 905
PAW9000	900 x 490 x 905

Article Number	Total Dimensions BxDxH mm
PAW3000	476 x 570 x 1085
PAW4000	570 x 570 x 1085
PAW5000	670 x 570 x 1085
PAW6000	776 x 570 x 862
PAW7000	832 x 570 x 1085
PAW8000	920 x 570 x 1085
PAW9000	1020 x 570 x 1085

Individual Work Environments require individual Solutions:

That is the reason why we offer our patient care and nursing trolleys in two different depths:

490 mm and 600 mm.

Model Examples:


PAW 7002

left: BxDxH =

712 x **490** x 905 mm

right: BxDxH =

712 x **600** x 905 mm



The following explanation shows how the product name is composed:

PAW **8121**


PAW: Product name

8 : series 8000


1 : number of drawers

2 : number of document extracts


1 : number of doors




PAW3001



PAW3101



PAW3201



PAW3001
Image with optional accessories ABSTOP, ZY and BS4L



PAW3500
Image with optional accessories ABSTOP and SPA1H



PAW3201
Image with optional accessories ABSTOP and KB15-E



PAW3001
Image with optional accessories ABSTOP, SPA1, MTW and diff. modules




Patient Care and Nursing Trolleys PAW 3000

The interior of this series can be equipped with a girder support system for modules, in order to utilise ISO modules or wire-netted baskets (BxH: 300 x 400 mm) (see p. 44-45). The PAW3000 can be equipped either with drawers or a hinged folding door. The standard colour is light grey (LG).


All shown models are only an excerpt from our product range.

Cabinet Dimensions	Total Dimensions BxDxH mm
356 x 490 x 905	476 x 570 x 1085


PAW4002



PAW4120



PAW4112



PAW4120
Image with optional accessory ZE



PAW4001
Image with optional accessories SPA1R, BS4L, FHR, DMS5, TS5, KB15E and HMF



PAW4120
Image with optional accessories ZE, ABSTOP and SPA1L



PAW4500
Image with optional accessories ABSTOP, ZE and SLIDE15



Patient Care and Nursing Trolleys PAW4000


The PAW is available with either fixed doors or a folding door. Open shelves, drawers, document folders, X-ray boxes and inner drawers are available.

The standard colour is light grey (LG).


All shown models are only an excerpt from our product range.

Cabinet Dimensions	Total Dimensions BxDxH mm
450 x 490 x 905	570 x 570 x 1085


PAW5120



PAW5202



PAW5110



PAW5300

Image with optional accessories SPA1R and BS4L



PAW5102

Image with optional accessories SPA2, ABSTOP, and DFT



PAW5202

Image with optional accessory ABSTOP



PAW5500

Image with optional accessories ABSTOP and SPA1L



Patient Care and Nursing Trolleys PAW5000

The PAW5000 is available with either fixed doors or a folding door. Open shelves, drawers, document folders, X-ray boxes and inner drawers are available. The standard colour is light grey (LG).

All shown models are only an excerpt from our product range.

Cabinet Dimensions	Total Dimensions BxDxH mm
550 x 490 x 905	670 x 570 x 1085

PAW6102



PAW6401



PAW6700



PAW6102

Image with optional accessories SPA1R and BS4L



PAW6210

Image with optional accessories ABSTOP and 2 ESS



PAW6500

Image with optional accessories RGE, BS4L and SPA1R



PAW6400

Image with optional accessories ES2, HSB3QPAW, DMS5, ABSTOP and SCHUETTEN4



Patient Care and Nursing Trolleys PAW 6000


The interior of this series can be equipped with a girder support system for modules, in order to utilise ISO modules or wire-netted baskets (BxH: 300 x 400 mm). See p. 44-45 for further details. The PAW6000 is available with either fixed doors or a folding door.

The standard colour is light grey (LG).

All shown models are only an excerpt from our product range.

Cabinet Dimensions	Total Dimensions BxDxH mm
656 x 490 x 682	776 x 570 x 862

PAW7002



PAW7102



PAW7202



PAW7002
Image with optional accessories ABSTOP, MTW and diff. modules



PAW7202
Image with optional accessories ABSTOP, BS4L, MTW and diff. modules



PAW7102
Image with optional accessory ABSTOP



Patient Care and Nursing Trolleys PAW 7000

Optionally, a partition plate can be installed to separate the cabinet in two. Also, a girder support system for modules can be utilised. This means that on both sides ISO Modules as well as wire-netted baskets (BxH: 300 x 400 mm) can be used. See p.44-45 for further details.
The standard colour is light grey (LG).

All shown models are only an excerpt from our product range.

Cabinet Dimensions	Total Dimensions BxDxH mm
712 x 490 x 905	832 x 570 x 1085

PAW8121



PAW8501



PAW81000



PAW8121

Image with optional accessories ZE, BS4L and ZY



PAW8310

Image with optional accessories RGE, FHL, DMS5, TS5, BS4L, HSB2, ZY and SPA1R



PAW8500

Image with optional accessories ES2, DMS5, TS5, ABSTOP, KB15-E and 2x SCHUETTE5



Patient Care and Nursing Trolleys PAW 8000

The PAW is either available with fixed doors or folding doors. Open shelves, drawers, document folders, X-ray boxes and inner drawers are available.

The standard colour is light grey (LG).

All shown models are only an excerpt from our product range.

Cabinet Dimensions

800 x 490 x 905

Total Dimensions BxDxH mm

920 x 570 x 1085

PAW9240



PAW9620



PAW9311



PAW9102
Image with optional accessories ES1 and ABSTOP



PAW9212
Image with optional accessories TH, DMS5, TS5 and BS4L



PAW9800
Image with optional accessories ABSTOP, SPA1H and SLIDE15



Patient Care and Nursing Trolleys PAW9000

The PAW9000 is available with either fixed doors or a folding door. Open shelves, drawers, document folders, X-ray boxes and inner drawers are available. The standard colour is light grey (LG).

All shown models are only an excerpt from our product range.

Cabinet Dimensions	Total Dimensions BxDxH mm
900 x 490 x 905	1020 x 570 x 1085

MEDI5001

Image with optional accessories FHR, MB, KB15-E, BS4L, SPA1R, BLB, BSML and diff. modules



MEDI6002

Image with optional accessories FHR, MB, KB15-E, BS4L, SPA1R, BLB, ZY and diff. modules



Medicine Trolleys

The medicine trolleys enable a flexible transport as well as an organised storage of all drugs.

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

Moreover, the MEDI5001 features one hinged folding door with door holder central and magnet at the undercarriage. Four castor wheels, Ø 125 mm, two with brakes, allow easy handling. The trolley is equipped with an electronic locking system.

The interior is made up as follows:

- 1 extractable shelf
- 5 fully extendible drawer runners with ISO modules format 450 x 400 x 100 mm incl. 3 dividers 400 x 100 mm and 2 dividers 450 x 100 mm
- 20 indicator plates

The trolley features the following standard exterior:

- 1 push bar
- 1 fold away writing surface on the right side 350 x 480 mm
- 1 waste bin 15 Litre with stainless steel mounting
- 1 F-mounting on the right side of the back

The medicine trolley MEDI6002 is constructed as follows:

- 1 push bar
- 2 doors incl. cylindrical lock
- 4 compartments in the doors
- in the cabinet stainless steel rails for 36 Trays (variable for 4-fold or 6-fold trays)



Article Number	Cabinet Dimensions BxDxH mm
MEDI5001	506 x 460 x 905
MEDI6002	656 x 490 x 905
Total Dimensions BxDxH mm	
MEDI5001	630 x 540 x 1085
MEDI6002	776 x 570 x 1085

Medicine Trolleys

Accessories for Medicine Trolleys

Blister box (BLB)



The **push bar (BSL)** guarantees high usability. For a quick and hygienic waste disposal a **waste collector for 15 liters (KB15-E)** is mounted standardly.



ABS-Top (ABSTOP) for the top work- and writing surface incl. three-sided edge



The **electronical numeric code pad (BSML)** avoids unauthorised access to drugs and nursing materials. The MEDI6002 is locked by two **cylindrical locks (ZY)**.



The fold-away working surface (**SPA1**) (350 x 470 mm) can be operated with one hand. It is robust and the usage is easy.



The trolleys are equipped with an **F-mounting (FHL/FHR)** incl. a **stainless steel mounting (MBH)** for **cannula disposal containers (MB)**.



MOD6300K



MOD6102GM

Image with optional accessories ABSTOP, BS4L, tray extension, ZY and diff. modules



MOD6002GA5M

Image with optional accessories ABSTOP, BS4L, ZY and diff. modules



Module Trolley Series MOD6000

Our modern module trolleys are ergonomically designed and built in a user-friendly manner. They are equipped with fully extendible drawer runners for easy insertion and removal of ISO modules or wire-netted baskets. This series can be equipped with modules or baskets with heights of 50 mm, 100 mm or 200 mm (baskets 180 mm). Modules and baskets can be found from page 44 onwards. You can choose from pull-out blinds, 270 degrees swing-out doors or fully retractable hinged doors.

The cabinet is made of high quality special sheets, quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil. It is available in two heights with various colour schemes, according to our colour chart on page 10.

The working surface has rounded edges. The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. Silent and easy movement is guaranteed by four castor wheels Ø 125mm, with two brakes. A stainless steel push bar is included. All drawers are equipped with recessed handles.

MOD6000GR

Image with optional accessories ABSTOP, KB15-E und BS4L (incl. roller blind operable from left to right)



Article Number	Cabinet Dimensions BxDxH mm
MOD6300K	656 x 490 x 680
MOD6000GR/MOD6102GM/MOD6002GA5M	656 x 490 x 905
	Total Dimensions BxDxH mm
MOD6300K	776 x 570 x 860
MOD6000GR/MOD6102GM/MOD6002GA5M	776 x 570 x 1085

Module Trolleys

Open Module Trolleys

Our module trolleys can be delivered either in open fashion with stainless steel frame and guide rails or closed with ABS girder support system.

The module trolleys can be produced in different sizes. All ABS modules are heat resistant up to 85 degrees Celsius; the PC modules are heat resistant up to 121 degrees Celsius. Dividers are available for the individual modules.

Custom-made products are available on request.

OMW110



Article Number		Cabinet Dimensions BxDxH mm
OMW15	1 row per 5 Modules	570 x 780 x 1110
OMW110	1 row per 10 Modules	570 x 660 x 1620
OMW220	2 row per 10 Modules	1000 x 660 x 1620

Roll-Up Utility Trolley

The roll-up utility trolley is designed specifically for your everyday care. The optional ABS plastic top is a disinfectant resistant work surface. The front of the RUWI can completely be closed by a lockable roller blind.

This cart is equipped with a girder support system for modules, in order to utilise ISO modules or wire-netted baskets (BxH: 600 x 400 mm). See page 44-45 for further details on accessories.

The cabinet colour is available as per our colour chart on page 10, the lockable blind is always delivered in silver.

The undercarriage is made of a solid plastic sheet. It also functions as wall stopper. Four castor wheels Ø 125 mm, with two brakes, guarantee easy use. The cabinet is made of special sheets, quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil.


RUWI




RUWI	
Total Dimensions	Cabinet Dimensions BxDxH mm
656 x 500 x 1055	776 x 580 x 1235

Entire and half modules


width: 600 mm



depth: 400 mm



width: 400 mm



depth: 300 mm



ABS4310



ABS4320



ABS6405



ABS6410



ABS6420



ABSK6410



ABSK6420



Modules and Wire-Netted Baskets

ISO Modules and Wire-Netted Baskets

Our ISO modules and wire-netted baskets are made to transport and store a big variety of materials in our ward-round or module trolleys. All modules are available in different heights for use with our module girder support system or our module trolleys as well as an entire or half module (see image on the left).


All ISO modules come in grey colour (ABS - Acrylonitrile-Butadiene-Styrene copolymers) and transparent (PC - polycarbonate). The wire-netted baskets are white and rilsan coated. All modules are divisible and equipped with an integrated stopping device. Dividers for ABS, PC and GK are available in all relevant sizes.

The ABS and PC modules are tiltable (32°). This makes it easier to view and access contents. The wire-netted baskets do not have this option.


Article Number	Total Dimensions BxDxH mm
ABS4305 (not shown)	400 x 300 x 50
ABS4310	400 x 300 x 100
ABS4320	400 x 300 x 200
ABS6405	600 x 400 x 50
ABS6410	600 x 400 x 100
ABS6420	600 x 400 x 200
ABSK6410	600 x 400 x 100
ABSK6420	600 x 400 x 200
PC4305	400 x 300 x 50
PC4310	400 x 300 x 100
PC4320	400 x 300 x 200
PC6405	600 x 400 x 50
PC6410	600 x 400 x 100
PC6420	600 x 300 x 200
PCK6410	600 x 400 x 100
PCK6420	600 x 400 x 200
GK3410	400 x 300 x 100
GK3418	400 x 300 x 180
GK6410	600 x 400 x 100

Modules and Wire-Netted Baskets

PC4305




PC4310




PC4320



PC6405



PC6410



PC6420



PCK6410



PCK6420



GK3410



GK3418



GK6410



GK6418



ASM

Stopping device for
ABS- und PC-modules



ASD/ASK

Stopping device for
wire-netted and
plastic baskets



Baby Changing Trolleys

The WW6102 with its large drawer offers enough space for all the utensils needed in the care of babies. The lower part has a cabinet with two integrated shelves. This expands the storage space for diapers etc.

The WW6202 has two small drawers on the left side as well as an extendable garbage container concealed by a door. On the right side there is a fixture tool with adhesive ring SR400 behind a door for textile linen bags.

The undercarriage is made up of a solid plastic sheet, which also serves as wall-bumper. Four castor wheels Ø 125mm, with two brakes, guarantee easy use.

The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a 2 mm thick ABS-safety edge foil.

Changing Pads

- 5 cm thick changing pad with 3-sided upstands
- free of PVC, latex und silicon
- resistant to MRSA und Norovirus
- impervious to fluids such as blood, urine, water or coffee
- permanently wipe-clean sterile
- permanently boil-proof to 95°C
- suitable for tumble drying to 120°C
- suitable for vacuum-steam-vacuum procedure to 105°C



Available colors



HZS

Radiant heater for baby changing trolley



Cabinet Dimensions

Total Dimensions BxDxH mm

705 x 620 x 682

780 x 680 x 1012

Baby Changing Trolleys

WW6102

with changing pad



WW6202

with changing pad, SR400 and BS4L-T



HZS-H

Stainless steel mounting for radiant heaters



System Trolleys Modula

NSWK
with 1 SMK
and 1 FMK



NSWK
with 1 SMK
and 2 FMK



NSW
with 2 SM
and 1 FM



System Trolley Modula

Our system trolley Modula can be used wherever documents, records and utensils have to be stored in an organised yet readily available manner. The robust undercarriage is wholly made of stainless steel. Up to four modules (drawers and compartments) can be accommodated. Four synthetic castor wheels Ø 75mm, with two brakes, ensure easy handling. The system trolley Modula is available in two different widths (540 mm and 690 mm).

Images shown in this catalogue are just an extract of the whole series available.

It would be our pleasure to offer you an individually customised proposal.

NSWK
with 3 SMK
and RGE (optional)



Article Number		Total Dimensions BxDxH mm
NSW	rack	690 x 400 x 820
NSWK	rack	540 x 400 x 820
SM	drawer	600 x 400 x 160
SMK	drawer	450 x 400 x 160
FM	compartment	600 x 400 x 19
FMK	compartment	450 x 400 x 19
RGE-NSW	Tubular frame for NSW	
RGE-NSWK	Tubular frame for NSWK	

Endoscopic Trolley

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil. The worktop has rounded corners.

Four castor wheels, Ø 125 mm, two with brakes, guarantee easy handling.

Equipment and Accessories:

- double-row euro-rack, height adjustable
- extended euro-rack on the left side for disinfectant dispenser (500 ml) with drip pan
- infusion-bottle holder on the right side, height adjustable
- Cannula disposal container set, 10 boxes, content 1.5 l incl. 1 stainless steel mounting
- box for PE-forceps
- 1 drawer, 96 mm (1.5 RU)
- 1 drawer, 128 mm (2.0 RU)
- 4 drawers on the left and 4 drawers on the right side, each 160 mm (2.5 RU)

ENDO61000

Image with optional accessories DMS5, TS5, ES2H, HSB1, EBHES, BS6R, ENDOHR and KB15-E



ENDO61000

Image with optional accessories DMS5, TS5, ES2H, HSB1, ENDOHR, BS6R, EBHES and KB15-E



Cabinet Dimensions	Total Dimensions BxDxH mm
656 x 600 x 905	776 x 680 x 1085

File and Ward Round Trolleys

NKVR10

with lockable roller blind



NKV20-1

with lockable sliding trays and one drawer



NKV30-1

with lockable sliding trays and one drawer



File and Ward Round Trolley


The file and ward round trolley is specifically designed for ward rounds and the administration of personal records in nursing homes. Furthermore, this trolley is an absolute necessity for administration offices in wards or living areas in aged persons homes.

All records are clearly arranged and stored in a readily available manner. Both upper sliding trays can be used as writing surfaces and are equipped with a cylindrical lock.

Optionally also a roller blind is available for purchase. The fully synthetic undercarriage protects walls from damage. The trolleys have four castor wheels, Ø 125mm, with two brakes.

Upon request the file and ward round trolleys bottom part can be equipped up to two drawers. Total height will increase about 220 mm.

Division



NKV10
track width 330

NKV20
track width 330

NKV30
with X-ray boxes
track width 330

NKV40
DIN A4
suspensions lengthways
DIN A3
suspensions crossways
track width 330/440

Article Number	Cabinet Dimensions BxDxH mm
NKV10 / NKV20 / NKV20-1	745 x 400 x 520
NKVR10	815 x 400 x 570
NKV30 / NKV30-1	745 x 400 x 520
NKV40	780 x 500 x 560
Total dimensions incl. push bar BxDxH mm	
NKV10 / NKV20	840 x 460 x 900
NKV20-1 / NKV30-1	840 x 460 x 900
NKVR10	910 x 460 x 950
NKV30	840 x 460 x 900
NKV40	875 x 560 x 950

Ergonomic Documentation Trolleys

Ergonomic Documentation Trolley

The EDW is for flexible usage in patient care and documentation. Its slanted surface allows an ergonomic and comfortable working process.

The lower range can be equipped with doors, open shelves, drawers or document folders. As an example EDW5310 has three drawers and one document folder. By default, our EDW are all equipped with a push bar.

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. Four castor wheels, Ø 125mm, with two brakes, guarantee easy use.

The cabinet consist of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

Working surface

- ergonomically sloped for comfortable work positioning
- resistant to disinfectants
- standard colour: light grey (LG)
- edge veneer: light grey (LG)
- special colours on request

EDW5310



EDW5310

Image with optional accessory SPA1L



EDW5102

Image with optional accessories HMF and BS4L



EDW5102

Image with optional accessories HMF and BS4L



Cabinet Dimensions	Total Dimensions BxDxH mm
--------------------	---------------------------

550 x 490 x 905	670x 570 x 1085
-----------------	-----------------

KW01

Image with
BS4L and BS4R



KW02



KW02

Image with
optional
accessories
BS6R, MTW
and diff.
Modules



Catheter Trolley KW01

Intracardiac catheter require special storage conditions due to their lengths. The novocal catheter trolley enables a protected and organized storage. The superstructure of this trolley can accommodate 21 types of catheters. By default, our catheter trolley is equipped with two push bars attached to the left and right.

- stainless steel hooks to hang catheters
- each row contains of 7 hooks
- the cabinet is equipped with open shelves

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. Five castor wheels Ø 125mm, with two brakes, guarantee easy use.

The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

Catheter Trolley KW02

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil. The trolley is equipped with six castor wheels, Ø 125 mm, two of them with brakes.

Composition as follows:

Left side:

- 1 door
- girder support system for trays 300 x 400 mm (supply without modules)

Right side:

- 1 door
- girder support system for trays 600 x 400 mm (supply without modules)
- 4 pairs of telescopic extensions; each provides 7 pairs of hooks for catheters
-

Article Number	Total Dimension BxDxH mm
KW01	1120 x 790 x 1640
KW02	1132 x 570 x 1680

CETOS1112

Image with
ZY and ZE,
optional
accessories
ES2H,
ESR and
KKE



CETOS1000

- drawer for Laptops extendable to the right, lockable
- drawers are available in 3 different heights (total height: 9.0 RU)
- drawers on ball-bearing guide rails
- master lock/cylinder lock
- sides panels: standard colour: silver (coloured side panels optionally available)
- height adjustable superstructure with bin system for needles and syringes (double-row)
- disinfectant dispenser with drip pan
- standard euro-rack with glove box mounting and cannula disposal container on the left side
- waste collector on the right side

Patient Care and Nursing Trolleys autoclavable

Mobile Functional Trolley with High Quality, Easy Care and Functional Synthetic Surface

Phoenixcare is an association of two companies: One of them is a leading company in synthetics production, the other is an innovative and successful company in producing furniture for health care. This makes Phoenixcare to an expert in the are of patient care and nursing furniture.

All Phoenixcare products are made of a high quality, easy care and functional synthetic surface. They fulfill all requirements concerning hygienic management. The trolleys are easy to clean and autoclavable. Wheels can be removed for cleaning.

Images shown in this catalogue are just an extract of the whole series available. The trolleys can be equipped related to your in-

height adjustable superstructure for additional accessories



extendible drawer for Laptops



Patient Care and Nursing Trolleys for Operating Room and Intensive Care

CETOS1900

Image with optional accessories ES2H, DMS5, TS5, HSB1, MB, ESR and ZY



CETOS2000

- drawer for Laptops extendible to the right
- front can be closed by a jalousie
- Interior is equipped with 2 ISO modules (height: 50 mm), 2 ISO modules (height: 100 mm) and 1 ISO basket (height: 200 mm)
- Master lock with key
- standard euro-rack with catheter mounting on the left side
- 2 wire-netted stainless steel baskets on the right side
- low superstructure with bin system for needles and syringes (single-row) as well as glove box mounting



CETOS trolleys feature 20 % more loading capacity related to trolleys with the same required floor space. The light weight as well as the usage of double castor wheels guarantee easy handling. Nevertheless, all trolleys are very stable and will not tilt over.

CETOS2000

Image with optional accessories SCHUETTE5, HSB1, ESS, KKE, GK, ZY and diff. Modules



Article Number	Total Dimensions BxDxH mm
CETOS1000	950 x 690 x 1110
CETOS2000	950 x 690 x 1110

Patient Trolley

PATW8301

The patient trolley simplifies everyday processes concerning the security and storage of a patient's property. The left side the trolley provides hanging space for clothes, and includes a soft closing, 180 degree hinged door.

Three drawers are located on the right side which can be accessed from either side of the trolley to reduce unnecessary movement of the unit. The top drawer is equipped with a combination lock for security of a patients valuables, with a further two drawers below providing a variety of storage sizes. All drawers can be loaded with up to 35 kilos in weight

A height adjustable dinner tray is provided between two wooden upstands to the right side.

The cabinet consist of class E1 high quality sheets and worktops with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

A special edge creates a seamless joint providing very hygienic, and easy to clean work surfaces to assist in maintaining a sterile environment. There is also a bottle storage facility on the worktop for a variety of uses.

The trolley base is made up of a solid plastic sheet, which also serves as a buffer for the unit to prevent damage, and is provided with five high quality 125 mm castor wheels with two brakes for guaranteed secure, easy, and silent use.

The trolley is equipped with a euro-rack which can be used to push the trolley.



Cabinet Dimensions	Total Dimensions BxDxH mm
840 x 500 x 1200	920 x 570 x 1380

CW4210

Image with optional accessories MH, BS6L, SPA1 and ZE such as optional with PSS fitted



CW4210



Computer Trolley Series 4000

This computer trolley is equipped with a side-gated pull-out compartment for the keyboard, a mouse compartment as well as a monitor stand, which can carry up to 25 kg. On the back there are three compartments including cable bushings for storing your IT processors and equipment. The cabinet is lockable.

We are more than happy to pre-install any IT equipment you may require, ranging from HP Thin Clients and monitors to uninterruptible power supply systems.

The bottom part of the trolley can be designed according to your preferences - either with doors, normal drawers or drawers sized for records and files. Naturally, all drawers come as soft self-closing version and run on telescopic slides. Cabinet racks can be adjusted at different heights or taken out completely.

The cabinet is made of special sheets, quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil. Colours are available as per our colour chart. The worktop has rounded edges. By default, the trolley is equipped with a push bar.

The undercarriage is made of a solid plastic sheet. It also functions as wall stopper. Four castor wheels Ø 125 mm, with two brakes, guarantee easy use.

A suitable power supply can be found on page 63.

CW4210

with integrated PSS



Cabinet Dimensions	Total Dimensions
	incl. monitor stand BxDxH mm
450 x 600 x 905	570 x 680 x 1500

Computer Trolley Series 5000

This computer trolley is designed in such a way that it is primarily operated from the front. The upper part is an empty compartment, in which a laptop or a PC can be placed. This empty compartment can also be ordered as a keyboard shelf or as a drawer. Ventilation grilles are installed in the back and in the front to remove the heat. The lower part of the trolley is equipped with a pull-out shelf, on which optional the battery and the control unit can be accommodated (PSS see page 63). The front section of the trolley can also be equipped with two drawers.

All drawers come as soft self-closing version and run on telescopic slides.

The cabinet is made of special sheets, quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil. Colours are available as per our colour chart.

The undercarriage is made of a solid plastic sheet. It also functions as wall stopper. Four castor wheels Ø 125 mm, with two brakes to guarantee easy use.

A push bar is included.

A suitable power supply can be found on page 63.

CW5202
Image with BS4L



CW5202
with plenty of room for
technology in the
lower area



CW5202
Ventilation grilles installed in the back



Cabinet Dimensions	Total Dimensions BxDxH mm
550 x 490 x 905	670 x 570 x 1085

IT-Trolleys

CW6210

Image with optional
accessories
MH, BS4L,
BS4R and ZY



Computer Trolley Series 6000

This computer trolley is designed in such a way that it is only accessible at the front end. It has a monitor stand, which can carry up to 25 kg. The back end of the trolley has grilles to ensure proper circulation of air and ventilation of IT equipment.

The left side of the trolley has two 180 mm wide, 450 mm deep and 480 mm high racks. The racks are variable in height, thus all your IT components can be accommodated as needed.

This computer trolley is equipped with a pull-out compartment for the keyboard and mouse and is suitable for keyboards of up to 400 mm breadth. The bottom part of the trolley can be designed according to your preferences, either with doors, normal drawers or drawers sized for records and files.

All drawers come as soft self-closing version and run on telescopic slides.

The cabinet is made of special sheets, quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil. Colours are available as per our colour chart. The worktop has rounded edges.

The undercarriage is made of a solid plastic sheet. It also functions as wall stopper. Four castor wheels Ø 125 mm, with two brakes, guarantee easy use.

A push bar is included.

Cabinet Dimensions	Total Dimensions
	incl. monitor stand BxDxH mm
655 x 490 x 905	780 x 570 x 1500

IT Trolley EDVW5400

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

Drawers and document-folders are mounted on telescopic rails with a soft-air self-closing system. Four castor double-wheels Ø 125 mm, two with brakes, guarantee easy use.

- 1 push bar on the left side
- 1 open shelf, height: 192 mm (3.0 RU)
- 1 front-gated pull-out compartment for keyboard and mouse
- 3 drawers, height each 128 mm (2.0 RU)
- 1 drawer, height 288 mm (4.5 RU)
- all drawers with recessed handle
- fold-away working surface on the right side
- monitor mounting on the right side on top of the working surface

See page 63 for a power supply system.

EDVW5400

Image with optional accessories BS4L, TH, SPA1R and SLIDE15



EDVW5400

Image with optional accessories BS4L, TH, SPA1R and SLIDE15



Cabinet Dimensions	Total Dimensions
	incl. monitor stand BxDxH mm
550 x 490 x 905	670 x 570 x 1500

EDVW6102

Image with optional accessories BS4R and diff. modules



IT Trolley EDVW6102

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil. Worktop with round edges.

Four castor double-wheels Ø 125 mm, two with brakes, guarantee easy use.

- 1 open shelf, height: 192 mm (3.0 RU) incl. 1 front-gated pull-out compartment for keyboard and mouse
- recessed handle at pull-out compartment for keyboard
- 2 doors (6 RU) and girder support for modules 600 x 400 mm (supply without modules)
- 1 shelf for technical equipment, can be folded away to the front, panel height 288 mm (4.5 RU)
- euro-rack on the right side
- on pair of hooks, stainless steel
- fold-away worktop on the left side
- monitor mounting on the right side on top of the working surface

See page 63 for a power supply system.

EDVW6102

Image with optional accessories BS4R and diff. modules



Cabinet Dimensions	Total Dimensions
	incl. monitor stand BxDxH mm
656 x 490 x 905	7760 x 5700 x 1500

LAW4210-S

Image with optional accessories ABSTOP, ZE and SPA1L



Laptop Trolley

Our laptop trolleys are either equipped with a retractable and lockable laptop storage facility including an automatic lift system **(-A)**, or with a side-gated pull-out compartment for the laptop **(-S)**. Appropriate IT equipment can be sourced and supplied.

The lower part of the trolley can be provided with doors, standard drawers, or drawers for files and records.

Naturally, all drawers come as soft self-closing version and run on telescopic slides.

The cabinet is made of special sheets, quality class E1 with double-sided melamine resin coating and a wo mm thick ABS-safety edge foil. Colours are available as per our colour chart. The worktop has rounded edges.

The undercarriage is made of a solid plastic sheet. It also functions as wall stopper. Four castor wheels, with two brakes, guarantee easy use (Ø 125mm).

A push bar is included.

LAW4400-S

Image with optional accessories ABSTOP and BS4L



LAW4210-A

Image with optional accessories ZE



LAW4001-S

image with optional accessories EAK, RGE, SPA1L, HMF



Cabinet Dimensions	Total Dimensions BxDxH mm
450 x 490 x 905	570 x 570 x 1085

IT Trolleys

Laptop Trolley with Height Adjustable Shelf

LAW4300H

The laptop trolley is equipped with an height adjustable shelf for best ergonomic working. The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with a double-sided melamine resin coating and a two mm thick ABS-safety edge foil.

Drawers and document-folders are mounted on telescopic rails with a soft-air self-closing system.

Four castor double-wheels Ø 125 mm, two with brakes, guarantee easy use.

Features:

- without railing
- 1 height adjustable laptop shelf, dimensions: 500 x 510 mm (BxD); height adjustable: 925-1295 mm
- 3 drawers, each 157 mm (2.5 RU)



LAW4300H



Cabinet Dimensions	Total Dimensions BxDxH mm
450 x 490 x 525	570 x 570 x 925

iPad Trolley

Our iPad Trolley is an ergonomically formed ward round trolley which has a slanted working surface with an integrated iPad. The working surface is easily cleaned, and the equipment kept safe from any humidity entering. The iPad is locked away securely by a lock attached to the side of the trolley.

An integrated additional battery with 12.000 mAh adds up to 12 additional hours of battery life for working on the iPad. In this manner several duty shifts can be completed successfully using the iPad.

The undercarriage is made up of a solid plastic sheet. Four castor wheels Ø 125mm, with two brakes, guarantee easy use.

The bottom part of the trolley can be equipped with drawers, compartments, regular doors or foldable doors



IPW4400
Image with
optional
accessory
BS4L



Cabinet Dimensions	Total Dimensions BxDxH mm
450 x 490 x 905	570 x 570 x 1085

Battery Compartment



IT Trolleys

Power Supply System

Our power supply system consists of a base unit, an external control and display panel, all connection cables and an appropriate battery. The battery is available in different versions to suit your needs. Please contact us for available options.

This unit generates the required charge current while providing enough capacity for your IT unit. Load module is included.

With this battery solution you are able to work independently in your facility for hours. The control unit provides a visual and audible alarm for low battery level.

Charging can occur at any time via the corresponding charger cable. There is no interruption of power supply, which means that you can work more flexibly than ever. This system can be integrated into a wide range of our patient care and nursing trolleys.

The PSS is available for all computer and laptop trolleys and can also be retrofitted into existing trolleys

Further accessories can be found from page 71.

PSS



PSS in Detail



PSS

integrated in
CW6210



Control Unit installed at Cabinet



DESI1

Mobile,
image with optional
accessories
DMS5, TSDESI and GK



DESI2

Floor model,
image with optional
accessories
DMS5, TSDESI and
GK



Disinfection station DESI

Virus infections are becoming more and more frequent. As preventive measure doctors and health experts recommend washing your hands regularly. However, this is not always possible due to lack of facilities.

Our disinfection station DESI can be used any time, any place and offers the perfect prerequisites for disinfection of hands. Protect yourself and your fellow people everywhere!

The disinfection station DESI is built of stainless steel.

You can add different accessories e.g. disinfectant dispenser (manual or automatic), drip pan or information/instruction labels to the stainless steel plate.

DMS5A

incl. TS



It is also possible to add wire-netted baskets - either welded to the station or to be mounted with hooks.

The DESI is available in two versions:

DESI1 refers to the mobile Version with four castor wheels, diameter 50 mm, two with brakes.

DESI2 refers to the floor model.

Article Number	Total Dimensions BxDxH mm
DESI1	405 x 436 x 1425
DESI2	385 x 420 x 1350

Disinfection Centre DESICENTER

The disinfection center DESICENTER is attractive, modern and practical. The center is stable, nevertheless it is easy to use and applicable in various areas. Especially in areas where hygiene is very important, e.g. foyers in hospitals, retirement homes or doctors’ offices.

The DESICENTER is available in polished stainless steel (DESICENTER-VA) as well as coloured and powder coated (DESICENTER-F). Choosable colours are: white, yellow, orange, red, green and blue.

The DESICENTER will not tilt over. It is mounted on a solid ground plate with skid-proof rubber feet. On request, two additional wheels for transportation can be mounted.

DESICENTER-F

Image with optional accessories
DMS5 and TSDESI



Article Number	Total Dimensions BxDxH mm
DESICENTER-VA	400 x 600 x 1490
DESICENTER-F	800 x 500 x 1505

DESICENTER-VA

Image with optional accessories
DMS5 and TSDESI



Mobile 360° Sterilization Unit with UV-C Technology- up to 99,999% Sterility

Without chemicals and without toxic compounds: The UV-C sterilization unit sterilizes all kinds of microbes in patients' room, operation rooms or other areas in hospitals and retirement homes which are contaminated.

Ultraviolet radiation has a disinfecting effect in the spectral range between 280 and 200 nm. The device makes use of this advantage and eliminates germs at 254 nm without ozone formation. Of course, all requirements for consumer protection and HACCP concepts are met.

UEKG01



UEKG01 control unit



The exact Dose makes the Difference!

Small microorganisms are eliminated by a small dose of UV-C radiation. More complexly structured microbes require a higher dose of UV-C radiation to be eliminated. The high-energy radiation of the UV-C disinfection device sterilizes up to 99.999% of all germs on the most diverse surfaces, such as door handles, bed frames, mattresses, tables or telephone handsets, if the device is correctly placed in the room.



All Advantages at a Glance:

- comprehensive disinfection without the use of chemicals
- 360° sterilization by 8 UV-C emitters
- very economical
- user-friendly operation, cleaning and maintenance
- compact size, mobile and therefore easy to transport within all hospital areas
- low energy consumption
- safe shutdown
- short operating times of 5 to 20 minutes
- Lifetime UV-C lamp: 12,000 h
- optimal supplement to standard cleaning procedures, suitable for all surfaces such as e.g. mattresses, tables and chairs

UEKG01



The sensor range of the UV-C device is 4.2 meters:



Article Number	Total Dimensions BxDxH mm
UEKG01	532 x 532 x 1726

MRSA Trolley, Series 1



MRSA1M
Image with optional accessories
DMS5, TS5,
HSB1 and
diff. modules



MRSA Trolley: MRSA1

The MRSA1 trolley matches all requirements related to hygienic management. The trolley has an extended back to mount various accessories, e.g. disinfectant dispenser, drip pan or glove box.

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil. Four castor wheels Ø 125 mm, two with brakes, guarantee easy use.

There are two versions available:

- MRSA1F with two height adjustable shelves
- MRSA1M with girder support for ISO-modules format:

MRSA1F
Image with
optional
accessories
DMS5,
HSB1 and
TEXT-MRSA



Cabinet Dimensions	Total Dimensions BxDxH mm
360 x 490 x 745	440 x 570 x 1660

ISO Trolleys

MRSA Trolley: MRSA2

The MRSA2 trolley matches all requirements related to hygienic management. The trolley has an extended open back to mount various accessories, e.g. disinfectant dispenser, drip pan or glove box.

The undercarriage is made up of a solid plastic sheet, which also serves as wall-stopper. The cabinet consists of special high quality sheets and worktops of quality class E1 with double-sided melamine resin coating and a two mm thick ABS-safety edge foil. Four castor wheels Ø 125 mm, two with brakes, guarantee easy use.

There are two versions available:

- MRSA2F with two height adjustable shelves
- MRSA2M with girder support for ISO-modules format:

MRSA Trolley, Series 2

Image with optional accessories
DMS5, TS5,
HSB2 and
TEXT-MRSA



MRSA2F

Image with optional accessories
DMS5, TS5,
HSB2




MRSA2M

Image with optional accessories
DMS5, TS5,
HSB2 and
diff. modules



Cabinet Dimensions	Total Dimensions BxDxH mm
360 x 490 x 745	440 x 570 x 1485



The pictured trolley is equipped with the following accessories:

- SPA1 (fold-away working surface)
- KB15 (waste collector/bin)
- ABS-TOP 5000
- BS (push bar)
- ES2 (euro-rack 2-fold, double-row)
- SCHUETTE5 (5 small bins)
- HSB2PAW (glove box 2-fold, euro-rack model)
- MB (cannula disposal container)
- TSE (dab dispenser, euro-rack model)
- DSM5PAW (disinfectant dispenser, 500 ml, euro-rack model)
- TS5PAW (drip pan, euro-rack model)

You will find suitable accessories for your laundry trolleys, IT trolleys and patient care and nursing trolleys on the following pages. It would be our pleasure to offer you a customised proposal based on your specific needs.

Accessories

SPA1

sideways fold-away working surface
for installation on the left or right,
operation with one hand, optionally with stainless steel plating



SPA2

extendable writing surface



ABSTOP

withstands disinfectants

Article no.	External dimensions (BxD mm)	Cabinet dimensions (BxD mm)
ABSTOP3000	PAW3000: 411 x 515	PAW3000: 356 x 490
ABSTOP4000	PAW4000: 505 x 515	PAW4000: 450 x 490
ABSTOP4000-600	PAW4000-600: 505x 625	PAW4000-600: 450 x 600
ABSTOP5000	PAW5000: 605 x 515	PAW5000: 550 x 490
ABSTOP6000	PAW6000: 711 x 515	PAW6000: 656 x 490
ABSTOP7000	PAW7000: 767 x 515	PAW7000: 712 x 490
ABSTOP8000	PAW8000: 855 x 515	PAW8000: 800 x 490
ABSTOP9000	PAW9000: 955 x 515	PAW9000: 900 x 490



SPA1H

sideways height-adjustable working surface
SPA1H for installation on the left or right,
operation with two hands, optionally with stainless steel plating.



EAK

Stainless steel plating
satin stainless steel, for the top work- and writing surface

Article no.	External dimensions (BxD mm)	Cabinet dimensions (BxD mm)
EAK3000	PAW3000: 404 x 508	PAW3000: 356 x 490
EAK4000	PAW4000: 498 x 508	PAW4000: 450 x 490
EAK5000	PAW5000: 598 x 508	PAW5000: 550 x 490
EAK6000	PAW6000: 704 x 508	PAW6000: 656 x 490
EAK7000	PAW7000: 760 x 508	PAW7000: 712 x 490
EAK8000	PAW8000: 848 x 508	PAW8000: 800 x 490
EAK9000	PAW9000: 948 x 508	PAW9000: 900 x 490



RGE

Tubular frame, stainless steel, also available in double-sided
fashion, no ABS synthetic top available with this feature

Article no.	External dimensions (BxD mm)	Cabinet dimensions (BxD mm)
RGE3000	PAW3000: 396 x 470	PAW3000: 356 x 490
RGE4000	PAW4000: 490 x 470	PAW4000: 450 x 490
RGE5000	PAW5000: 590 x 470	PAW5000: 550 x 490
RGE6000	PAW6000: 696 x 470	PAW6000: 656 x 490
RGE7000	PAW7000: 752 x 470	PAW7000: 712 x 490
RGE8000	PAW8000: 840 x 470	PAW8000: 800 x 490
RGE9000	PAW9000: 940 x 470	



SF

Side compartments with stainless steel frame grid for SW600 and SW700



MTW

Girder support systems for ISO modules
On request, available in different sizes for your nursing trolleys.



QTS, LTS, RLS

Divider for drawers

LTS - lengthwise, made of aluminium, different sizes available

QTS - transverse, transparent, different sizes available

RLS - slotted rail holder, fixed by glue, different sizes available



BS

Push bar

BS4L/BS4R: push bar left / right for cabinet depth 490 mm

BS6L/BS6R: push bar left / right for cabinet depth 600 mm



TSE

Swab dispenser
euro-rack model



IAB

Surgical instrument container
including stainless steel fitting



MB

Cannula disposal container, also called hallow needle box, made of polypropylene, yellow with red closing lid 1.5 l for used hollow needles, scalpels, etc.
The box can be easily closed secure and watertight.



MBHS

Mounting for cannula disposal container,(set)
available in different sizes,
mounting as set,
including 10 boxes of 1.5 l each



MBHES

Cannula disposal container,mounting
euro-rack model
Custom-made sizes and forms on request.



Accessories



DMS

Disinfectant dispenser for 500 ml or 1000 ml, stainless steel lever for hand and elbow operation, aluminum body, mat silver anodised, to the front removable stainless steel pump with dosing limitation, available as euro-rack model (PAW), clip-on tubular model (SW) and wall model (W)
The pump made of stainless steel (EPD) is also available separately.



DMS5HH

Mounting for disinfectant dispenser, retrofit for existing euro-rack, for flexible mounting at the bottom or at the top



DMS5RR

Disinfectant dispenser for round tube Ø 22-35 mm



DMSA

automatic, with sensor (spare pump for pump exchange available)



TS

Drip pan for DMS5 and DMS10, available as euro-rack model (PAW), tubular model (SW) and wall model (W) as well as a special model for DESI available



EPD

Stainless steel pump with dosing limitation



DMSV5 / DMSV10

Disinfectant closure plate
DMSV5: for 500 ml DMS
DMSV10: for 1000 ml DMS



Article Number	Disinfectant Dispenser
DMS5A	automatic DMS with sensor 500 ml
DMS5PAW	euro-rack model 500 m
DMS10PAW	euro-rack model 1000 ml
DMS5SW	tubular model (clip-on-version) 500 ml
DMS10SW	tubular model (clip-on-version) 1000 ml

Article Number	Disinfectant Dispenser
DMS5W	wall model 500 ml
DMS10W	wall model 1000 ml
DMS5HH	retrofit for existing euro-rack 500 ml
DMS10HH	retrofit for existing euro-rack 1000 ml
EPD	stainless steel pump w. dosing limitation


ES1

Euro-rack, stainless steel,
single-row



ES1H

Euro-rack height adjustable, stainless steel,
single-row



ES2

Euro-rack double-row, stainless steel,
image with optional accessory F-mounting



ES2H

Euro-rack height adjustable, stainless steel,
double-row



FHL

F-mounting
stainless steel,
for installation
on the left



FHR

F-mounting
stainless steel,
for installation
on the right



TH

T-mounting
stainless steel



ESS

Euro-rack, sideways,
stainless steel for lateral mounting
ESSL - euro-rack mounting on the left
ESSR - euro-rack mounting on the right



EBHES

Stainless steel container for
euro-rack, for surgical cutlery
dimensions BxDxH = 250 x 150 x 300 mm



UTBES

Implement basket, stainless steel,
for euro-rack
dimensions BxDxH = 80 x 80 x 90 mm



HSB

Glove box mounting, stainless steel, for all current sizes, 1-4-fold
also available as euro-rack model (PAW), tubular model (SW) and wall model (W)

HSB1



HSB2




HSB3



HSB1Q




HSB3Q



HSB2Q



HSB4Q



Glove box mounting for euro-rack model (PAW),
1-4-fold, lengthwise and crosswise (-Q):

Article Number	Total Dimensions BxDxH mm
HSB1PAW	134 x 92 x 237
HSB1QPAW	235 x 85 x 130
HSB2PAW	259 x 92 x 261
HSB2QPAW	470 x 85 x 130
HSB3PAW	134 x 92 x 391
HSB3QPAW	685 x 85 x 130
HSB4PAW (not shown)	134 x 92 x 520
HSB4QPAW	960 x 85 x 130

Glove box mounting, tubular model (clip-on),
1-4-fold:

Article Number	Total Dimensions BxDxH mm
HSB1SW	134 x 92 x 237
HSB2SW	259 x 92 x 261
HSB3SW	134 x 92 x 391
HSB4SW (not shown)	134 x 92 x 520

Glove box mounting, wall model,
1-4-fold, lengthwise and crosswise (-Q):

Article Number	Total Dimensions BxDxH mm
HSB1W/HSB1QW	134 x 92 x 237/235 x 85 x 130
HSB2W/HSB2QW	259 x 92 x 261/470 x 85 x 130
HSB3W/HSB3QW	134 x 92 x 391/685 x 85 x 130
HSB4W (not shown)/HSB4QW	134 x 92 x 520/960 x 85 x 130

SCHUETTE3 - SCHUETTE6

Bins 3-6-fold, for mounting to the euro-rack



SCHUETTE3FIFO / SCHUETTE5FIFO

Bins with FIFO-principle: First In - First Out
3-fold and 5-fold



GK

wire-netted basket, for mounting sideways
on PAW

BxDxH = 400 x 160 x 170 mm



PHE / PHK

Coat hooks for mounting at back wall,
available in stainless steel and plastic

PHE - stainless steel PHK - plastic




NRS01

Stainless steel kidney dish
for euro-rack



KKR

Catheter tube round,
wire netted, PE white
KKR01 - height 335 mm,
Ø 85 mm
KKR02 - height 480 mm,
Ø 100 mm



KKE

Catheter tube square
stainless steel wire
KKE01 - 90 x 90 x 350 mm
KKED01 - central divider,
150 x 100 x 480 mm
KKED02 - central divider,
150 x 100 x 280 mm



MUBH

Mounting for mouth protection box
to be mounted to euro-rack (**MUBHES**)
special sizes on request



Accessories



KB9

synthetic waste bin
9 Liters for SW and PAW
KB9-E - including stainless steel mounting



KB15

synthetic waste bin
15 Liters for SW and PAW
KB15-E - including stainless steel mounting



KB8A

automatic sensor waste bin
8 Liters for SW and PAW
KB8A-E - including stainless steel mounting




SLIDE15 / SLIDE25

Waste bin 15 or 25 liters with knee operation
colour: powdered RAL 7035 light grey
dimensions: 460 x 400 x 170 mm / dimensions: 420 x 570 x 210 mm



SLIDE15E / SLIDE25E

Waste bin 15 or 25 liters, stainless steel, with knee operation
dimensions: 460 x 400 x 170 mm / dimensions: 420 x 570 x 210 mm



ZY

Cylindrical lock



ZS

Combination lock
version depending on the product



TPS01

Transponder lock
compact and cable free furniture
lock for all cabinets and drawers.
Can be used without a key.



BSML

B-Smart-Lock
electronic numeric code pad



ZE

Central lock



IPH001

iPad mounting
wall mounting



MH

Monitor mounting



MT1

Furniture safe
Inside (BxDxH): 336 x 294 x 209 mm
Outside (BxDxH): 402 x 376 x 278 mm



MT2

Furniture safe
Inside (BxDxH): 350 x 292 x 440 mm
Outside (BxDxH): 435 x 382 x 528 mm



Accessories

IFH

Infusion-bottle holder
IFHR - to be mounted on the
back of a trolley
IFHES - euro-rack model



IFHH

Infusion-bottle holder
height adjustable

SFH01

Oxygen bottle holder




HMF

magnetic holder mounted on chassis



DFST

Door holder central,
for hinged-folding door



ZFS

Master adjusting device for patient care and nursing trolleys
ZFS04 master adjusting device with 4 limited wheels
for series PAW3000-6000
ZFS05 master adjusting device with 5 wheels, thereof 4 limited wheels
for series PAW7000-9000
ZFS+P additional pedals

ZFS

detailed image



LB-SE

Wheel for multi-purpose trolleys

material: polyurethane hard foam, Ø 150 mm

1 set = 2 castor wheels and 2 wheels with brakes



LRS75MRT

MRI double castor wheel with brake,

threaded pin, non-magnetic

Ø 75 mm



LRS125KU

double castor wheel for PAW

made of plastic with 2 brakes

Ø 125 mm



ADEF

Shelf for defibrillator



RP01

Reanimation panel

plastic, supply mounting for patient care and

nursing trolleys PAW5000-9000,

with three grips, 500 x 500 mm



help

Fire extinguisher system

helpfs380



helpav383



helpad384



helpvs381



helpds382



fire extinguisher cabinet		element: first aid kit		element: defibrillator		elements: defibrillator and first aid kit		first aid cabinet		defibrillator cabinet	
hight	1027,5 mm	total hight	1224 mm	total hight	1224 mm	total hight	1420 mm	hight	527,5 mm	hight	527,5 mm
bread	224,6 mm	breadth	224,6 mm	breadth	224,6 mm	breadth	224,6 mm	breadth	224,6 mm	breadth	224,6 mm
depth	433,4 mm	depth	433,4 mm	depth	433,4 mm	depth	433,4 mm	depth	433,4 mm	depth	433,4 mm

Waste Collectors

Stainless Steel Waste Collector „Compact“

The series „Compact“ of our waste collector for plastic bags is distinguished by its compact and shapely design. The mature technical concept of this series will guarantee you years of trouble-free usage of this piece of equipment. Please note the extraordinarily favourable physical measurements that our collectors have. This allows them to be fit for use in constricted rooms and space.

They are delivered with hinged lids and synthetic base tubs. We are able to equip the „Compact“ collector with pedals (TVD) for easy opening of the hinged lids if preferred.

Design:

- one buffed stainless steel frame
- continuously welded pipe joints
- adhesive rings SR 400
- 4 castor wheels Ø 75mm

Accessories:

- pedal TVD
- shock protection - buffer plates

NA71

Image with optional accessory TVD



NA72



NA73



NA74



Article Number	Total Dimensions BxDxH mm
NA71	420 x 530 x 950
NA72	620 x 530 x 950
NA73	970 x 530 x 950
NA74	1320 x 530 x 950

S40

floor model



S40L

mobile



Waste Collector „Genius“

with Clamping Ring and Pedal

The novocal waste collector „Genius“ is made of stainless steel and has a clamping ring for synthetic garbage bags as standard. The model „Genius Plus“ is equipped with an additional vacuum unit for garbage bags.

The front bracket serves as pedal at the same time.

This series is available as individual unit (S70: 70 l content and S40: 40 l content), as well as in combination (KS70) with novocal laundry trolleys and linen collectors.

It is possible to assemble a pedal which works as a brake.

S70

floor model



S70L

mobile



S70L-2



Article Number	Total Dimensions BxDxH mm
S40 (floor model)	580 x 525 x 825
S70 (floor model)	580 x 525 x 1010
S40L (mobile)	580 x 525 x 825
S70L (mobile)	580 x 525 x 1010
S70L-2 (2fold)	1195 x 490 x 975

Waste Collectors



S70L-B
with braking function



S70L-B
with activated brake
and fold-out protection



detailed image of the brake



Accessories for waste collector „Genius“

DD
Drill machine for wire loops



D
Set wire loops (1000 Stk.)
for drill machine



DDK
Drill machine with chain
for wire loops
optionally available



KF
Clamping springs
for clamping ring
of waste collector
Genius S70/S70L



AHS
fold-out protection
optionally available



Article Number	Total Dimensions BxDxH mm
S70L-B	580 x 525 x 1010

Bag Cassette

The 85 m long waste cassette is hygienic waste management at the highest level. The bags are sealed from the outside, so that no contact with the waste arises. The rubbish bags consist of extremely thin, multi-layered and at the same time very robust polyethylene material.

All advantages at a glance:

- Time savings when changing filled garbage bags
- Low material consumption
- Low transport costs

The standard colors are transparent and black. Other colors are available on request!

LGP

bag cassette available in three different size (mini, medi, maxi) and in two colours (transparent und black)

LGP-ME-S



LGP-ME-TR




NAL81

Waste collector with bag cassette



Article Number	Total Dimensions BxDxH mm
NAL81	520 x 565 x 970

How it works:



Step 1:

The waste bag is closed at one end with a cable binder. As soon as filling starts the waste bag also „starts“ automatically: the bag tube becomes longer.

Step 2:

If you would like to fill a new rubbish bag, pull down the bag tube slightly and close it with another cable tie.

Step 3:

Use a new cable tie over the previous one and cut the bag tube between both cable ties.

The entire process takes less than 30 seconds!

**Waste Sealing Units for Infectious Waste:
Pactosafe with Open or Closed Undercarriage**

With the mobile waste sealing equipment odor-intensive and infectious waste can be isolated easily, quickly and hygienically.

A hermetic sealant prevents the spread of odors, germs and toxic emissions. The waste is welded airtight immediately after each use and transported to the underlying container.

The waste sealing devices are user-friendly, ergonomic and ecologically friendly. Due to the bag cassette (approx. 35 meters) in the devices, a new waste bag is automatically available after each use.

For the Pactosafe waste sealing unit cytostatic bag cassettes are available in transparent (LGP-PS-TR-Z).

Pactosafe sealing unit with closed undercarriage

PACTOSAFEN01N-G power supply unit (p.s.u.)
PACTOSAFEN01A-G with battery



Article Number		Total Dimensions BxDxH mm
PACTOSAFEN01N-G	p.s.u.	530 x 480 x 990 (incl. extension)
PACTOSAFEN01A-G	battery	530 x 480 x 990 (incl. extension)



Pactosafe sealing unit with open undercarriage

PACTOSAFEN01N-O power supply unit (p.s.u.)
PACTOSAFEN01A-O with battery



Article Number		Total Dimensions BxDxH mm
PACTOSAFEN01N-O	p.s.u.	455 x 545 x 900
PACTOSAFEN01A-O	with battery	455 x 545 x 900

Genius Plus

The Genius Plus complements the range of popular Genius waste collectors.

Due to the integrated sealing unit, the waste bag can be sealed against liquid, odor and germs even before it is removed from the waste bin.

The VS-Plus waste bag developed for the Genius Plus has a filling volume of approx. 70 liters. The developed garbage bags VS-Plus prevent an inflating of the biologically active filling contents.

By this property, a volume reduction in the waste container can

S70LPLUS



detailed image: sealing button




Valve bags have been tested in laboratory studies for various properties. Overall, the results are in the range of „very good“ to „excellent“.

- The concentration of various gases is reduced by up to 99.4 %.
- Bacteria and fungi are retained up to 91.8 % in the bags.

VSW01

Valve bags, colour: white



Article Number	Total Dimension BxDxH mm
S70LPLUS	620 x 570 x 1020

Waste Collectors



NOVOVAC01
Vacuum system



NOVOVAC01
Image shows NOVOVAC with empty bag



Vacuum Device NOVOVAC

With the NOVOVAC vacuum packaging system, waste can be hygienically vacuum-packed in all health care facilities. Different types of waste often lead to significant odor nuisance and the carry-over of germs during storage and transport in the appropriate facilities, but also during storage in the disposal container. The extracted air is cleaned using a special filter. Vacuum packaging reduces waste volume.

This facilitates storage and transportation within the facilities. Disposal costs can be reduced.
We recommend a change of the antibacterial filter cartridges after approx 2500 weldings or 12 months of usage **(Article no. FTP)**.

The NOVOVAC is available as a mobile device or wall model.

NOVOVAC01
Image shows NOVOVAC with filled and heat-sealed bag



NOVOVAC01
Control unit



Article Number	Total Dimensions BxDxH mm
NOVOVAC01	830 x 530 x 1030
VAKTP01 Valve bags transparent	620 x 1000
VAKWS01 Valve bags white	620 x 1000

GSE15-KB51



Recyclable Collector for Synthetic Containers, 50 l

This collector series offers you the possibility of separating recyclables in an economic fashion by using the 50l recyclables collectors. The undercarriage of this series is made of stainless steel. The containers are distinguished by being lightweight yet at the same time very stable. Inner and outer surfaces of the containers are easily cleanable.

Wheels:

- 4 castor wheels, Ø 50 mm (GSE), Ø 75 mm (NWE), rubber-tyres

Synthetic containers:

- content: 50l
- colour: white
- hinged lid

Available colours for lids:

white, red, yellow, green, blue, brown, grey and black

NWE2012-TVD



GSE25-KB51



GSE35-KB51



Article Number	Total Dimensions BxDxH mm
GSE15-KB51	300 x 425 x 585
GSE25-KB51	610 x 425 x 585
GSE35-KB51	920 x 425 x 585
GSE45-KB51	1230 x 425 x 585
NWE2011-TVD	425 x 505 x 725
NWE2012-TVD	645 x 505 x 725
NWE2013-TVD	1015 x 505 x 725
Plastic container KB51	290 x 425 x 510 · 50 Litres

Waste Collectors



Recyclables Collectors Series 2000

The recyclables collectors series 2000 is made of stainless steel and is characterised by a compact construction that is open to the front. This model series can, in most cases, accommodate both synthetic hard-body recyclables containers (50 l), as well as adhesive rings for synthetic bags.

The unique design of its frame ensures that synthetic recyclables containers are easily placed and removed from the frame itself. Both the hard body synthetic containers and the synthetic bags have their feed opening at the same height. Through this and the easily accessible front opening of the collectors, easy disposal and removal of the recyclables is guaranteed.

Combination Recyclables Collectors

The novocal combination recyclables collectors can be individually tailored with:

- coloured synthetic boxes
- synthetic containers 50l
- adhesive rings for synthetic bags
- pedals

All recyclables collectors can be equipped with pedals (TVD).

Article Number	Total Dimensions BxDxH mm
NWE2020 2 adhesive rings / 0 container	820 x 540 x 970
NWE2021 1 adhesive ring / 1 container	820 x 540 x 970
NWE2022 no adhesive ring / 2 containers	820 x 540 x 970
NWE2030 3 adhesive rings / 0 container	1140 x 540 x 970
NWE2031 2 adhesive rings / 1 container	1140 x 540 x 970
NWE2032 1 adhesive ring / 2 containers	1140 x 540 x 970
NWE2033 no adhesive ring / 3 containers	1140 x 540 x 970
NWE2040 4 adhesive rings / 0 container	1470 x 540 x 970
NWE2041 3 adhesive rings / 1 container	1470 x 540 x 970
NWE2042 2 adhesive rings / 2 containers	1470 x 540 x 970
NWE2043 1 adhesive ring / 3 containers	1470 x 540 x 970
NWE2044 no adhesive ring / 4 containers	1470 x 540 x 970
KW4	680 x 425 x 1200
KW5	1200 x 425 x 1200

NWE2041



KW4



KW5



ZSE215



ZSE315



ZSE415



Room Recyclables Collectors

Consequently pre-sorting recyclables in rooms and wards ensures efficient recyclable sorting on the whole in your health and nursing institution. Due to their sophisticated design, the novocal room collectors are handy and space efficient.

- Undercarriage: stainless steel
- Containers: white with coloured labels
- Content: 15l
- Wheels: 4 castor wheels Ø 50mm

Coloured Labels

The labels are available in two different sizes with the following lettering:



PAPER

PLASTICS

RESIDUAL WASTE

GLAS

ORGANIC WASTE

Individual lettering on request.

Article Number	Total Dimensions BxDxH mm
ZSE215	415 x 335 x 500
ZSE315	630 x 335 x 500
ZSE415	830 x 335 x 500
WAK-KL recyclables sticker small	120 x 40
WAK-GR recyclables sticker large	130 x 130

Waste Collectors

Recyclable Collectors with Coloured Synthetic Boxes

Undercarriage:

- Frame: stainless steel
- Rails: stainless steel, continuously welded pipe joints
- Top: formica, white
- Wheels: 4 castor wheels Ø 75mm, with 2 brakes

Synthetic Boxes (included in shipment)

- Sizes: 300 x 400 x 270 mm or 400 x 600 x 270 mm
- Colours: red, yellow, green, blue, grey
- individual colours on request

Accessories

- adhesive ring SR400 for synthetic bags
- sticker

On request, our waste collectors with coloured synthetic boxes are available in other versions, combinations and sizes.

Combination example



WKK342



WKK343



WKK344



Article Number		Total Dimensions BxDxH in mm
WKK342	2 boxes 300 x 400	380 x 455 x 840
WKK343	3 boxes 300 x 400	380 x 455 x 1200
WKK344	4 boxes 300 x 400	700 x 455 x 840
WKK462	2 boxes 400 x 600	480 x 650 x 840
WKK463	3 boxes 400 x 600	480 x 650 x 1200
WKK464	4 boxes 400 x 600	900 x 650 x 840

NWK3010



Recyclables Cabinet Series 3000

The recyclables cabinet Series 3000 is made of sheeted steel with an impact resistant, grey-white plastic coating.

The collector is equipped with recessed handles.

The 50l containers are opened through pedals. The open back ensures easy access when removing waste from the containers. Upon request, the back of the collector can be equipped with doors.

- Material: sheeted steel, plastic coating
- smooth inner and outer surfaces of the containers are easily cleanable
- Colour: grey-white RAL 9002
- Wheels: 4 castor wheels Ø 75mm, with 2 brakes

The plastic bins are included in shipment.

NWK3020



NWK3030



NWK3020
rear view



Article Number	Total Dimensions BxDxH mm
NWK3010	420 x 480 x 850
NWK3020	800 x 480 x 850
NWK3030	1180 x 480 x 850
NWK3040 (not shown)	1570 x 480 x 850

Waste Collectors



Stainless Steel Recyclables Cabinet

The stainless steel recyclables cabinet offers an extremely attractive design. It is completely closed. The release for the waste is tilt-proof extendable to the front. The removal of the filled units is via doors at the back of the device. The cabinets are equipped with a damper which can close the lid with minimal noise.

Optionally, the model is available with 50 litres recycling bins or with adhesive rings for 70 litres garbage bags or laundry bags.

- Material: stainless steel
- Wheels: 4 precision steel wheels, Ø 75 mm, with 2 brakes

EWK270



EWK150



EWK370



tilt protection

Article Number		Total Dimensions BxDxH mm
EWK150	with Box, 50 litres	450 x 600 x 850
EWK250	with Box, 50 litres	850 x 600 x 850
EWK350	with Box, 50 liters	1250 x 600 x 850
EWK450	with Box, 50 litres	1650 x 600 x 850
EWK170	with adhesive rings	450 x 600 x 850
EWK270	with adhesive rings	850 x 600 x 850
EWK370	with adhesive rings	1250 x 600 x 850
EWK470	with adhesive rings	1650 x 600 x 850

EWK450



NWKA3010



Aluminium Recyclables Cabinet

The recyclables cabinet made of aluminum impresses with an extremely attractive design and a very low weight. The cabinet is completely closed. The discharge is operated by a pedal device. When filled, the 50 litre units are removed via the back of the collector which are equipped with doors.

The front panels are equipped with a damper to ensure quiet closing.

Material

- Aluminium
- 4 precision steel castor wheels, Ø 75 mm, 2 with brakes

NWKA3020



NWKA3040



NWKA3030



Article Number	Total Dimensions BxDxH mm
NWKA3010	420 x 480 x 850
NWKA3020	800 x 480 x 850
NWKA3030	1180 x 480 x 850
NWKA3040	1570 x 480 x 850

Waste Collectors



EL20

Pedal dust bin, various sizes, sheeted steel with white coating (EL)
inner bin material used: galvanised, fire-proof



EE14

Pedal dust bin, stainless steel (EE)
inner bin material used: galvanised, fire-proof



EC30

Pedal dust bin, various sizes, stainless chromium steel (EC)
inner bin material used: galvanised, fire-proof



GAE40

closable dustbin, stainless steel, 40 litres



GAE70

closable dustbin, stainless steel, 70 litres, with 1 pedal and damping function for lid



GAE120

closable dustbin, stainless steel, 120 litres



E40, E70, E120

inner bin, stainless steel, various sizes



Article Number		Total Dimensions BxDxH mm
EL05	sheeted steel white, 5 l	200 x 230 x 290
EL12	sheeted steel white, 12 l	250 x 350 x 395
EL20	sheeted steel white, 20 l	290 x 390 x 445
EL30	sheeted steel white, 30 l	290 x 390 x 675
EC05	stainless chromium steel, 5 l	200 x 230 x 290
EC12	stainless chromium steel, 12 l	250 x 350 x 395
EC20	stainless chromium steel, 20 l	290 x 390 x 445
EC30	stainless chromium steel, 30 l	290 x 390 x 675
EE14	stainless steel, 14 l	265 x 350 x 360

Article Number	Total Dimensions BxDxH mm
GAE40	320 x 330 x 640
GAE70	365 x 390 x 840
GAE120	320 x 300 x 900

Waste Collectors Accessories ISO Trolleys IT Trolleys Patient Care and Nursing Trolleys Laundry Logistics Seating Stainless Steel Fabrications OP Equipment Storage / Transport Systems



12

The products of the novocal medicine cabinets series can be put together according to your wishes and requirements. Please contact us for any questions. We will be glad to provide advice to find your individual solution.

All measurements given below refer to the corpus. The total height is 2160 mm (corpus height plus base height 100 mm). The base has to be ordered separately.

All products are made out of high quality material:

- corpus: melamine coated chipboard (19 mm thick), colour: light-grey
- back wall: melamine coated chipboard (8 mm thick)
- fascia: melamine coated chipboard (19 mm thick)

Pos. 1 + 2

Modular tall cabinet (suitable for installation of ISO systems)
Breadth 1: 656 mm; Breadth 2: 456 mm; Breadth 3: 456 mm
Height 1: 2060 mm
Depth 1: 670 mm; Depth 2: 470 mm; Depth 3: 370 mm

Pos. 3

Wall cabinet with 2 wing doors
Breadth: 600-1200 mm; Height: 600 mm
Depth 1: 440 mm; Depth 2: 340 mm

Pos. 4

Wall cabinet with microwave
Breadth: 500 mm; Height: 600 mm
Depth 1: 440 mm; Depth 2: 340 mm

Pos. 5

Hanging shelf
Breadth: 200-1200 mm; Height: 600 mm
Depth 1: 440 mm; Depth 2: 340 mm

Pos. 6 + 7

Modular wall cabinet
(suitable for installation of ISO systems)
Breadth 1: 656 mm; Breadth 2: 456 mm; Breadth 3: 456 mm
Height: 600 mm
Depth 1: 470 mm; Depth 2: 340 mm; Depth 3: 370 mm

Pos. 8

Tall cabinet with refrigerator and pull-out shelves
Breadth: 600 mm; Height: 2060 mm
Depth 1: 670 mm . Depth 2: 560 mm

Pos. 9

Tall cabinet with refrigerator, microwave and drawers
Breadth: 600 mm; Height: 2060 mm
Depth 1: 670 mm; Depth 2: 560 mm

Pos. 10

Tall cabinet with wing doors and shelves
Breadth: 400-1200 mm; Height: 2060 mm
Depth 1: 470 mm; Depth 2: 670 mm; Depth 3: 560 mm

Pos. 11

Clothes cabinet with shelves and clothes rail
Breadth: 400-1200 mm; Height: 2060 mm
Depth 1: 470 mm; Depth 2: 670 mm; Depth 3: 560 mm



1
with girder
support system
for ISO modules



2
with girder
support system
for ISO modules



3



4



5



6
with girder
support system
for ISO modules



7
with girder
support system
for ISO modules



10 / 11

Drug cabinets



Pos. 12

Base cover incl. base clips
Length: max. 2700 mm; Breadth: 100 mm

Pos. 13

Sink base unit with waste collector and pedal device
Breadth: 450-700 mm; Height: 760 mm
Depth 1: 470 mm; Depth 2: 670 mm; Depth 3: 560 mm

Pos. 14

Dishwasher
Breadth 1: 450 mm; Breadth 2: 600 mm
Height: 760 mm; Depth 1: 670 mm; Depth 2: 560 mm

Pos. 15 + 16

Base cabinet with wing doors and drawers
Breadth: 300-1200 mm; Height: 760 mm
Depth 1: 470 mm; Depth 2: 670 mm; Depth 3: 560 mm

Pos. 17

Refrigerator
Breadth: 600 mm; Height: 760 mm
Depth 1: 670 mm; Depth 2: 560 mm

Pos. 18 + 19

Cabinet with drawers
Breadth: 300-800 mm; Height: 760 mm
Depth 1: 470 mm; Depth 2: 670 mm; Depth 3: 560 mm

Pos. 20

Back wall mirror
Length: max. 2700 mm; Breadth: 660 mm

Pos. 21

Light panel
Length: 2700 mm
Breadth 1: 340 mm; Breadth 2: 360 mm
Breadth 3: 440 mm; Breadth 4: 460 mm

Pos. 22

Worktop; colour: antique white or light grey
Length: max. 4000 mm; Depth: 710 mm
Breadth 1: 600 mm; Breadth 2: 480 mm

Pos. 23

Side panel
Height: max. 2700 mm
Breadth 1: 660 mm; Breadth 2: 580 mm; Breadth 3: 460 mm

Pos. 24

Wall connection panel
Height: max. 270 mm; Breadth 100-200 mm

Pos. 25 + 26

Modular base cabinets (suitable for installation of ISO systems)
Breadth 1: 656 mm; Breadth 2: 456 mm
Height: 760 mm
Depth 1: 670 mm; Depth 2: 470 mm

Pos. 27 + 28

Wall cabinet with 1 wing door
Breadth: 200-600 mm; Height: 600 mm
Depth 1: 470 mm . Depth 2: 340 mm

Pos. 29


Modular top mounted cabinet
(suitable for installation of ISO systems)
Breadth: 1030 mm; Height: 1262 mm; Depth: 470 mm


Pos. 30 (only in combination with 29 and 31)

Pull-out shelf for folders
Breadth: 1030 mm; Height: 38 mm; Depth: 470 mm

Pos. 31

Modular base cabinet (suitable for use of ISO systems)
Breadth: 1030 mm; Height: 760 mm; Depth: 470 mm





FLEXISTORE001

Material: aluminium (anodised)

- Baserack 400 x 600 mm with 10 pairs support rails for ISO modules
- 1 adapter plate aslant 600 mm
- 9 ABS-modules 600 x 400 x 100 mm incl. cross division and Stopper
- 1 ABS-module 600 x 400 x 200 mm incl. cross division and Stopper
- 1 extension rack 900 x 600 mm
- 1 adapter plate aslant 600 mm
- 4 shelves 900 x 600 mm max. load capacity: 35 Kg
- 2 synthetic angle rails VSW/K
- 6 universal divider 104 G/600 system height: 55 mm incl. clip 45/55
- 1 extension rack 300 x 600 mm
- 5 shelves mounted on telescope rails incl. softclose, max. load capacity: 35 Kg
- adjustment foot set H= 18 mm incl. profile cover synthetic green or grey, galvanized steel



FLEXISTORE003

Material: Aluminium (anodised)

- baserack 400 x 600 mm
- 3 extension racks 400 x 600 mm
- 10 castor wheels Ø 50 mm, 5 with brakes
- 48 pairs support rails for ISO modules
- 1 adapter plate aslant 600 mm
- 46 ABS-modules 600 x 400 x 100 mm incl. cross division and Stopper
- 2 ABS-modules 600 x 400 x 200 mm incl. cross division and Stopper

Storage Systems FLEXISTORE



FLEXISTORE - An Innovative Storage System

The shelving system allows medical consumables to be stored in a space-saving and safe way. This increases the importance of optimal storage and consumption logistics.

This new storage system made of high quality aluminum is easily and flexibly expandable in different widths and depths. In combination with numerous accessories, such as ISO modules, shelves, covers, sterile and heavy-duty pull-outs, FLEXISTORE is not just a shelf, but an extremely flexible storage system.

- Compatibility with the modular baskets from the novocal Program as well as with all other ISO modules
- any shelf width up to 900 mm is possible
- high quality aluminum
- Clip-on effect for suspension of the carrier rails
- Support rail: straight, hinged and inclined
- 400 kg max. load capacity per column
- suitable for FIFO, RFID and barcode systems
- Pass-through function: two-sided operation
- free of PVC
- flexibly expandable



Modular baskets in different heights are available in three versions: ABS grey, PC transparent or wire basket rilsan-coated. For more information, see pages 44-45.

Article Number	Total Dimensions BxDxH mm
FLEXISTORE001	1780 x 642 x 1940
FLEXISTORE002	1380 x 642 x 1996
FLEXISTORE003	1823 x 642 x 1996

2-in-1 function:


- straight (about 5 °) and
- hinged (about 25 °)



FLEXISTORE002

Material: Aluminium (anodised)

- baserack 400 x 600 mm
- 2 extension racks 400 x 600 mm
- 8 castor wheels Ø 50 mm, 2 with brakes
- 33 pairs support rails for ISO modules
- 27 ABS-modules 600 x 400 x 100 mm incl. cross division and Stopper
- 6 ABS-modules 600 x 400 x 200 mm incl. cross division and Stopper



Multi-Purpose Trolleys

SEV2-64



SEV2-86



SEM2-64



Multi-Purpose Trolleys

- shelves: solid core material (SEV) white or melamine
- resin coating (SEM) in special colours
- load capacity max. 80 kg per shelf
- total load capacity: ca. 200 kg
- 4 castor wheels, Ø 125mm, 2 with two-fold stopping function
- shock protection: 4 buffer plates

SEM3-64



Article Number		Total Dimensions BxDxH mm
SEV2-64	2 shelves 600x400 solid core	730 x 540 x 965
SEV3-64	3 shelves 600x400 solid core	730 x 540 x 965
SEV2-86	2 shelves 800x600 solid core	940 x 730 x 965
SEV3-86	3 shelves 800x600 solid core	940 x 730 x 965
SEM2-64	2 shelves 600x400 Melamine	730 x 540 x 965
SEM3-64	3 shelves 600x400 Melamine	730 x 540 x 965
SEM2-86	2 shelves 800x600 Melamine	940 x 730 x 965
SEM3-86	3 shelves 800x600 Melamine	940 x 730 x 965

Multi-Purpose Trolleys

Multi-Purpose Trolley „Silverline“

Standard design is delivered with two or three wire shelves. The huge number of accessories (see from page 109) allows an individual configuration.

- 4 castor wheels Ø 125mm, 2 with two-fold stopping function.
- shelf edges available for each model (height 100 mm)



Article Number	Cabinet Dimensions BxDxH mm
S46-2 with 2 shelves	610 x 457 x 1010
S47-2 with 2 shelves	764 x 457 x 1010
S49-2 with 2 shelves	912 x 457 x 1010
S410-2 with 2 shelves	1062 x 457 x 1010
S412-2 with 2 shelves	1217 x 457 x 1010
S66-2 with 2 shelves	610 x 610 x 1010
S67-2 with 2 shelves	764 x 610 x 1010
S69-2 with 2 shelves	912 x 610 x 1010
S610-2 with 2 shelves	1062 x 610 x 1010
S612-2 with 2 shelves	1217 x 610 x 1010
S46-3 with 3 shelves	610 x 457 x 1010
S47-3 with 3 shelves	764 x 457 x 1010
S49-3 with 3 shelves	912 x 457 x 1010
S410-3 with 3 shelves	1062 x 457 x 1010
S412-3 with 3 shelves	1217 x 457 x 1010
S66-3 with 3 shelves	610 x 610 x 1010
S67-3 with 3 shelves	764 x 610 x 1010
S69-3 with 3 shelves	912 x 610 x 1010
S610-3 with 3 shelves	1062 x 610 x 1010

S49-3



Multi-Purpose Trolley „Ecoline“

E4091-SCH



E4093-SCH



Article Number	Total Dimensions BxDxH mm
E4091 800 x 520 mm, 180 kg load capacity	1015 x 540 x 950
E4093 800 x 520 mm, 180 kg load capacity	1015 x 540 x 950

SEG2-85
closed



Stainless Steel Multi-Purpose Trolley

- material: stainless steel
- frame: stable round pipe, Ø 25mm
- shelves: welded trays framed with a rim all around
- load capacity: max 80 kg per shelf
- total load capacity: 120 kg
- 4 castor wheels, Ø 125mm, with 2 brakes
- wheel housing: galvanised, shiny
- pneumatic tired available at extra charge
- shock protection: 4 buffer plates

In the stainless steel multipurpose trolley, all shelves are equipped with a noise reduction mat as standard.

SE3-85



SE2-85



SE2-106



Article Number		Total Dimensions BxDxH mm
SE2-85	2 shelves 800x500, distance 585 mm	900 x 600 x 950
SE3-85	3 shelves 800x500, distance 275 mm	900 x 600 x 950
SE4-85	4 shelves 800x500, distance 285 mm	900 x 600 x 1290
SE2-96	2 shelves 900x550, distance 585 mm	1000 x 650 x 950
SE3-96	3 shelves 900x550, distance 275 mm	1000 x 650 x 950
SE4-96	4 shelves 900x550, distance 285 mm	1000 x 650 x 1290
SE2-106	2 shelves 1000x600, distance 585 mm	1100 x 700 x 1000
SE3-106	3 shelves 1000x600, distance 275 mm	1100 x 700 x 1000
SE4-106	4 shelves 1000x600, distance 275mm	1100 x 700 x 1340

Serving Trolleys

FS8100



TWD
with rotating doors



TWR
with roller blind



Tea Cart

The tea cart consists of special sheets and worktops, quality class E1 with double-sided melamine resin coating and a 2mm thick ABS-safety edge foil.

- worktop: 3-sided gallery
- 3 open shelves, 1 drawer, 1 cabinet with drawer and removable and adjustable shelf (= 2 compartments)
- 4 castor wheels Ø 125mm, with 2 brakes

Tray Trolleys

This tray trolley has been specially developed for your daily routine. The front consists of two 2 doors. The interior is subdivided horizontally and fitted with module support walls. The handle bar is an optional item and does not come as standard.

Trays:

- designed for trays with a width up to 440 mm and a length up to 530 mm
- EN Norm 370 x 530 mm
- GN Norm 325 x 530 mm

Undercarriage

- made up of a solid plastic sheet, which also serves as wall-bumper
- 4 castor wheels Ø 125mm, with 2 brakes

Cabinet

- special high quality sheets and worktops of quality class
- E1 with a double-sided melamine resin coating and a 2 mm thick ABS-safety edge foil
- standard colour: light-grey (LG)

You can select the colour for front and cabinet from our colour chart (see page 10).

Article Number	Cabinet Dimensions BxDxH mm	Total Dimensions BxDxH mm
TWDEN (EN-Norm)	585 x 490 x 1450	705 x 570 x 1615
TWREN (EN-Norm)	585 x 490 x 1450	705 x 570 x 1615
TWDGN (GN-Norm)	585 x 490 x 1450	705 x 570 x 1615
TWRGN (GN-Norm)	585 x 490 x 1450	705 x 570 x 1615
FS8100	800 x 490 x 905	920 x 570 x 1050

TBW16



Tray Trolley TBW

- material: stainless steel
- single-row or double-row
- for trays in the following dimension: 530 x 325 mm
- tray rails made of 6 mm stainless round steel
- anti-tipping and drop-out protection
- distance between the rails: ca. 150 mm
- 4 bumper discs
- 4 castor wheels Ø 125 mm, 2 with brakes

TBW110



TBW220



Article Number	Total Dimensions BxDxH mm
TBW16	individual, depends on tray size
TBW110	individual, depends on tray size
TBW220	individual, depends on tray size

Combined Sorting Trolleys



KSR412-5-8

optionally available with bumper discs



KI418B2



Combined Sorting Trolleys

This trolley is a clever combination of a wardrobe and a sorting trolley. In the mid-section there are two poles which separate the sorting compartment and the wardrobe. Compartment dividers, labeling frames and clothing rail are shipped with the product as standard. Furthermore, the trolleys have four castor wheels and two brakes.

The width of the wardrobe is 600 mm. We also offer lab coat stands in this series:

Suitable accessories can be found on pages 109.

All sorting shelves and rack systems of this series are only of limited use in outdoor areas.

Article Number		Total Dimensions BxDxH mm
KSR412-5-8	5 floors, 8 shelves	1217 x 457 x 1850
KSR415-5-12	5 floors, 12 shelves	1520 x 457 x 1850
KSR418-5-16	5 floors, 16 shelves	1826 x 457 x 1850
KSR612-5-8	5 floors, 8 shelves	1217 x 610 x 1850
KSR615-5-12	5 floors, 12 shelves	1520 x 610 x 1850
KSR618-5-16	5 floors, 16 shelves	1826 x 610 x 1850
KSR412-6-10	6 floors, 10 shelves	1217 x 457 x 1850
KSR415-6-15	6 floors, 15 shelves	1520 x 457 x 1850
KSR418-6-20	6 floors, 20 shelves	1826 x 457 x 1850
KSR612-6-10	6 floors, 10 shelves	1217 x 610 x 1850
KSR615-6-15	6 floors, 15 shelves	1520 x 610 x 1850
KSR618-6-20	6 floors, 20 shelves	1826 x 610 x 1850
KI46B2	lab coat stand	610 x 457 x 1850
KI47B2	lab coat stand	764 x 457 x 1850
KI49B2	lab coat stand	912 x 457 x 1850
KI410B2	lab coat stand	1062 x 457 x 1850
KI412B2	lab coat stand	1217 x 457 x 1850
KI415B2	lab coat stand	1520 x 457 x 1850
KI418B2	lab coat stand	1826 x 457 x 1850

Article Number		Total Dimensions BxDxH mm
R46A4	4 floors, chromed	610 x 457 x 1550
R47A4	4 floors, chromed	764 x 457 x 1550
R49A4	4 floors, chromed	912 x 457 x 1550
R410A4	4 floors, chromed	1062 x 457 x 1550
R412A4	4 floors, chromed	1217 x 457 x 1550
R415A4	4 floors, chromed	1520 x 457 x 1550
R418A4	4 floors, chromed	1826 x 457 x 1550
R66A4	4 floors, chromed	610 x 610 x 1550
R67A4	4 floors, chromed	764 x 610 x 1550
R69A4	4 floors, chromed	912 x 610 x 1550
R610A4	4 floors, chromed	1062 x 610 x 1550
R612A4	4 floors, chromed	1217 x 610 x 1550
R615A4	4 floors, chromed	1520 x 610 x 1550
R618A4	4 floors, chromed	1826 x 610 x 1550
R46B4	4 floors, chromed	610 x 457 x 1850
R47B4	4 floors, chromed	764 x 457 x 1850
R49B4	4 floors, chromed	912 x 457 x 1850
R410B4	4 floors, chromed	1062 x 457 x 1850
R412B4	4 floors, chromed	1217 x 457 x 1850
R415B4	4 floors, chromed	1520 x 457 x 1850
R418B4	4 floors, chromed	1826 x 457 x 1850
R66B4	4 floors, chromed	610 x 610 x 1850
R67B4	4 floors, chromed	764 x 610 x 1850
R69B4	4 floors, chromed	912 x 610 x 1850
R610B4	4 floors, chromed	1062 x 610 x 1850
R612B4	4 floors, chromed	1217 x 610 x 1850
R615B4	4 floors, chromed	1520 x 610 x 1850
R618B4	4 floors, chromed	1826 x 610 x 1850

Rack Trolleys

With help of this rack system you can individually organise transport and storage of items varying in size and shape. The rack is distinguished by its high carrying capacity. No cross-beams are necessary.

We use precision steel that is nickel-plated and chromed. As standard these trolleys have 4 shelves as well as 4 corner posts. Height of the individual shelves can be adjusted in 25 mm increments. Four castor wheels Ø 150 mm, with two brakes, complete the design.

Further shelves or any other accessories can be mounted later. Carrying capacity of the rack trolley is approx. 300 kg, max. 50 kg per floor.

We offer two different heights (1550 mm and 1850 mm) as well as two different depths (457 mm/610 mm).

Suitable accessories can be found on page 109.

R415A4



Sorting Rack Trolleys



SR612/B5-16



Overview Division


5 grid shelves

6 grid shelves





8 shelves

10 shelves




12 shelves

15 shelves





16 shelves

20 shelves




20 shelves

25 shelves



24 shelves

30 shelves



dimensions of the shelves
B 290 x H 340 mm

dimensions of the shelves
B 290 x H 265 mm

Sorting Rack Trolleys

Our sorting rack trolleys are especially useful for storing and distributing clinic laundry, as well as private laundry of nursing home residents. The individual shelves have labeling boards so that labeling and sorting per individual can be done.

They exist of:

- 5 or 6 grid shelves
- 4 corner posts
- compartments with labeling boards
- poles 3 sided
- 4 castor wheels Ø 150 mm, with 2 brakes

Suitable accessories can be found on pages 109 ff.

Article Number		Total Dimensions BxDxH mm
SR46B5-8	5 floors, 8 shelves	610 x 457 x 1850
SR49B5-12	5 floors, 12 shelves	912 x 457 x 1850
SR412B5-16	5 floors, 16 shelves	1217 x 457 x 1850
SR415B5-20	5 floors, 20 shelves	1520 x 457 x 1850
SR418B5-24	5 floors, 24 shelves	1826 x 457 x 1850
SR66B5-8	5 floors, 8 shelves	610 x 610 x 1850
SR69B5-12	5 floors, 12 shelves	912 x 610 x 1850
SR612B5-16	5 floors, 16 shelves	1217 x 610 x 1850
SR615B5-20	5 floors, 20 shelves	1520 x 610 x 1850
SR618B5-24	5 floors, 24 shelves	1826 x 610 x 1850
SR46B6-10	6 floors, 10 shelves	610 x 457 x 1850
SR49B6-15	6 floors, 15 shelves	912 x 457 x 1850
SR412B6-20	6 floors, 20 shelves	1217 x 457 x 1850
SR415B6-25	6 floors, 25 shelves	1520 x 457 x 1850
SR418B6-30	6 floors, 30 shelves	1826 x 457 x 1850
SR66B6-10	6 floors, 10 shelves	610 x 610 x 1850
SR69B6-15	6 floors, 15 shelves	912 x 610 x 1850
SR612B6-20	6 floors, 20 shelves	1217 x 610 x 1850
SR615B6-25	6 floors, 25 shelves	1520 x 610 x 1850
SR618B6-30	6 floors, 30 shelves	1826 x 610 x 1850

Article No. Base Unit	Total Dimensions BxDxH mm
ST46B4	610 x 457 x 1650
ST47B4	764 x 457 x 1650
ST49B4	912 x 457 x 1650
ST410B4	1062 x 457 x 1650
ST412B4	1217 x 457 x 1650
ST415B4	1520 x 457 x 1650
ST418B4	1826 x 457 x 1650
ST46C4	610 x 457 x 1870
ST47C4	764 x 457 x 1870
ST49C4	912 x 457 x 1870
ST410C4	1062 x 457 x 1870
ST412C4	1217 x 457 x 1870
ST415C4	1520 x 457 x 1870
ST418C4	1826 x 457 x 1870
ST46D4	610 x 457 x 2180
ST47D4	764 x 457 x 2180
ST49D4	912 x 457 x 2180
ST410D4	1062 x 457 x 2180
ST412D4	1217 x 457 x 2180
ST415D4	1520 x 457 x 2180
ST418D4	1826 x 457 x 2180
ST66B4	610 x 610 x 1650
ST67B4	764 x 610 x 1650
ST69B4	912 x 610 x 1650
ST610B4	1062 x 610 x 1650
ST612B4	1217 x 610 x 1650
ST615B4	1520 x 610 x 1650
ST618B4	1826 x 610 x 1650
ST66C4	610 x 610 x 1870
ST67C4	764 x 610 x 1870
ST69C4	912 x 610 x 1870
ST610C4	1062 x 610 x 1870
ST612C4	1217 x 610 x 1870
ST615C4	1520 x 610 x 1870
ST618C4	1826 x 610 x 1870

Standing Racks

The base units consist of four chromed grid shelves and four corner posts. Add-on units have two corner posts, as well as two S-shaped hooks to fix the unit onto the base.

Height of the individual shelves can be adjusted in 25 mm increments. Carrying capacity of the standing rack is about 50 kg per shelf, about 300 kg in total.

Base Unit



Add-on unit -A



Article No. Base Unit	Total Dimensions BxDxH mm
ST66D4	610 x 610 x 2180
ST67D4	764 x 610 x 2180
ST69D4	912 x 610 x 2180
ST610D4	1062 x 610 x 2180
ST612D4	1217 x 610 x 2180
ST615D4	1520 x 610 x 2180
ST618D4	1826 x 610 x 2180

Accessories for Sorting Rack Trolleys and Rack Systems

Corner Posts P

chromed notches on the corner posts allow for moving shelves up and down by 25 mm each.

PB 1650 mm length

PC 1800 mm length

PD 2100 mm length



Compartment Divider F4 / F6

Our compartment dividers allow specific arrangement when stocking goods. They can be hooked in at any position on a shelf.

F4 457 x 230 mm

F6 610 x 230 mm



Grid Shelf GB

You can add any number of grid shelves on to your rack system. We offer them in two different depths and seven different breadths.



Border Grid RG

Border grids can be used to set boundaries on each shelf.



Article Number GB	BxD mm
GB46	610 x 457
GB47	764 x 457
GB49	912 x 457
GB410	1062 x 457
GB412	1217 x 457
GB415	1520 x 457
GB418	1826 x 457
GB66	610 x 610
GB67	764 x 610
GB69	912 x 610
GB610	1062 x 610
GB612	1217 x 610
GB615	1520 x 610
GB618	1826 x 610
Article Number RG	LxH mm
RG4	457 x 100
RG6	610 x 100
RG7	764 x 100
RG9	912 x 100
RG10	1062 x 100
RG12	1217 x 100
RG15	1520 x 100
RG9/2	1826 x 100

Textile Protective Cover H

The textile protective cover is made of 100% polyester.
At the front it has two zips.



Label Holder EK

Standardised label holders can be used for clearly laying out and labeling your systems. They can be fastened to the shelves in any place you like.



Stainless-Steel pull-out Clothing Rail AK

The pull-out clothing rail can be mounted to all rack and sorting trolleys. Extended length: 340 mm.



Border Poles RSB / RSD

RSB 1580 mm length
RSD 1800 mm length



Art.no. Protective Cover	BxDxH mm
H46B	610 x 457 x 1650
H47B	764 x 457 x 1650
H49B	912 x 457 x 1650
H410B	1062 x 457 x 1650
H412B	1217 x 457 x 1650
H415B	1520 x 457 x 1650
H418B	1826 x 457 x 1650
H66B	610 x 610 x 1650
H67B	764 x 610 x 1650
H69B	912 x 610 x 1650
H610B	1062 x 610 x 1650
H612B	1217 x 610 x 1650
H615B	1520 x 610 x 1650
H618B	1826 x 610 x 1650

Accessories for Sorting Rack Trolleys and Rack Systems



Push Bar for Rack Trolleys BSR

By mounting the practical push bar for rack trolleys, maneuvering the trolley becomes much easier.



Brackets for Border Poles KKL

The plastic brackets with safety pins cannot be released from the border poles without outside influence.



S-Shaped Hooks SH

These hooks are necessary for attaching the add-on unit to the base unit. Each shelf requires two S-shaped hooks.



Bumper Discs SSR

To protect walls from scratches and bumps, you can equip the castor with bumper discs. 1 set = 4 discs



Directional Locking RIFIX

The steering movement of the wheel is blocked in the direction of movement. A lifelike driving behavior is guaranteed.



Base Plate FP

The base plate ensures a secure stand of your standing racks, because the plate can be screwed firmly to the floor.



Skeleton Container Trolley

All metal pieces of our skeleton container trolley GTR2 are electrolytically galvanised and chromed insuring a long life span and work life of this piece of equipment. As standard the trolley comes with two foldaway shelves. Both shelves are slightly tilted backwards. The upper shelf folds away to the back, the lower one to the front. So the lower front can be closed when folded forward.

- material: precision steel tube, electrolytically galvanised, yellow chromed
- fold-away shelves
- labeling board, welded to the trolley at the front-end
- wheels: 2 castor wheels and 2 fixed wheels, Ø 125mm

Optional accessories (no images displayed):

- base tub
- clothing rail
- textiles protective cover
- buffer plates
- rubber belts

GTR2



Article Number	Total Dimensions BxDxH mm
GTR2	886 x 680 x 1700

Stainless Steel Transport Trolleys with foldaway shelves

The stainless steel transport trolley (TRE91) for clean and dirty laundry comes with two foldaway shelves (to the back) as standard.

Shelves are made of solid core material. They are water-, heat- and disinfectant-resistant. The large castor wheels Ø 200 mm guarantee easy handling even when fully loaded.

As standard these trolleys are equipped with four castor wheels of which two are fixed and two with brakes. An all-round wall stopper is included in the design.

TRE91



Article Number	Total Dimensions BxDxH mm
TRE91	1000 x 700 x 1700

Stainless Steel Transport Trolleys



Front Wall Trolleys (STE) and Transport Trolleys (TRE)

- frame: stainless steel
- base plate: solid core material, white
- water-, heat- and disinfectant-resistant
- wheels: 2 castor wheels and 2 fixed wheels, Ø 200 mm
- load limit: 500 kg

Optional accessories:

- buffer plates
- castor wheels with two-fold stopping function

TRE81



TRE51



STE70



TRE81TP

image with optional accessories BSR and ESSR; optional with PHA4ES, DMS, TS and TRE-AP



removable front lid

TRE60



Article Number	Total Dimensions BxDxH mm
TRE50 without back panel, 1020x710 loading area	1050 x 740 x 1045
TRE51 with back panel, 1020x710 loading area	1050 x 740 x 1045
TRE60 without back panel, 1250x810 loading area	1300 x 840 x 1045
TRE61 with back panel, 1250x810 loading area	1300 x 840 x 1045

Article Number	Total Dimensions BxDxH mm
TRE80 without back panel, 1020x710 loading area	1050 x 740 x 1700
TRE81 with back panel, 1020x710 loading area	1050 x 740 x 1700
TRE81TP (Dimensions with SPA and ESS)	1200 x 780 x 1700
STE70 980x690 loading area	1080 x 695 x 1045

Closed Module Trolley

Our closed module trolleys, made of anodised aluminium, are equipped with module receivers and can accommodate modules of the size 400 x 600 mm.

The model GM1-9 accommodates nine modules, the model GM2-18 accommodates 18 modules and the model GM3-27 accommodates 27 modules.

Doors can be opened up to 270 degrees and can be held open with the help of magnets. Standard delivery of this trolley includes two all round wall stoppers (top and bottom of trolley), as well as two fixed castor wheels and two castor wheels with brakes (Ø 125 mm and 200 mm). All wheels are precision ball bearings.

- Optional accessories:
- cylindrical lock
 - module baskets
 - central stopper for wheels

GM1-9



GM2-18



Moveable Module Mounting



GM3-27



Article Number	Inside BxDxH mm	Outside BxDxH mm
GM1-9	465 x 635 x 1167	555 x 725 x 1464
GM2-18	900 x 635 x 1167	990 x 725 x 1543
GM3-27	1330 x 635 x 1167	1420 x 725 x 1543

Cabinet Trolley Aluminium



GS130



GS130 / GS200 / GS250 / GS400

The GS130, GS200 and GS250 trolleys are equipped with two removable shelves, the GS400 with three removable shelves.

All models have all-round shock absorbers at the top and bottom as standard.

They are delivered with two fixed and two castor wheels (with stop) with a diameter of 200 mm. All wheels are precision ball bearings.

Cabinet Trolley Aluminium (anodised)

Our closed cabinet trolleys made of anodised aluminium are distinguished by a high degree of stability and rigidity as well as high class workmanship and quality. The door hinges are maintenance free and silent due to a special teflon coating.

There are four castor wheels of which two are fixed (Ø 200 mm). The undercarriage is exchangeable due to a torsion frame it is bolted to. The castor wheels come with a stopping function. The two swing doors are three mm thick and able to swing out up to 270 degrees. They have central locking whilst doors can be kept open with the help of magnets, attached at each side of the cabinet.

At the top and base of the cabinet there are all-round shock protection plates. For easy handling there is a push bar at each side of the cabinet.

The cabinets are equipped with DIN A4 and DIN A7 labeling boards, the shelves are removable.

GS250



Article Number	Inside BxDxH mm	Outside BxDxH mm
GS130	3 shelves 750 x 550 x 1430	840 x 640 x 1806
GS200	3 shelves 1130 x 550 x 1430	1220 x 640 x 1806
GS250	3 shelves 1320 x 600 x 1220	1410 x 690 x 1596
GS400	4 shelves 1320 x 600 x 1220	1410 x 690 x 1596

GS150

This cabinet trolley (anodised aluminium) is equipped with one removable shelf.

The two swing doors with central locking are able to swing out to 270 degrees and can be kept open with the help of magnets, attached at each side of the cabinet. For easy handling there is a sliding handle at each side of the cabinet.

- Carrying capacity: 300 kg
- Content: approx. 150 kg linen.
- The cabinet is equipped with DIN A4 and DIN A7 labeling boards.

GS150



GS202

The model GS202 is designed like the other cabinet trolley GS models - but has one major distinguishing feature: its interior is split vertically.

The right side has two removable shelves (equates to three compartments), while the left side contains a clothing rail.

There is one push bar installed at each small wing.

GS202



Article Number	Inside BxDxH mm	Outside BxDxH mm
GS150 2 shelves	1130 x 550 x 1030	1220 x 640 x 1406
GS202 3 shelves + partition left	1130 x 550 x 1430	1220 x 640 x 1806

Cabinet Trolley Aluminium



GS300

The cabinet trolley aluminium GS300 is perfectly suited for clean and dirty laundry. It has two fold-away shelves. The top shelf folds away to the back, whilst the bottom shelf folds away to the front.

- Optional accessories:
- cylindrical lock
 - centralised wheel lock

GS300



GS450

1st interior is split vertically. On the left half there are two removable shelves, the other side includes a girder support system for modules.

Shipment times for this particular model may deviate from the usual terms and conditions.

GS450



Article Number	Inside BxDxH mm	Outside BxDxH mm
GS300 3 racks + shelves	750 x 550 x 1430	840 x 640 x 1806
GS450 3 racks + partition right	1320 x 600 x 1220	1410 x 690 x 1596

GFW22



Spring-Base Trolley (GFW)

- material: anodised aluminium
- spring base prevents cumbersome bending down
- spring height variable
- all-round shock protection plate at top
- 4 castor wheels, of which 2 fixed (Ø 125 mm) and 2 with brakes
- special sizes on request

Transport Container (GTC1)

- material: aluminium
- trolley welded watertight
- trolley base with tap
- 4 castor wheels, of which 2 fixed (Ø 125 mm)

GFW23



Transport Trolley with Side Wall Opening (GTC)

- material: aluminium
- very robust and inherently stable
- low weight
- all-round rim and base-profile for strengthening the container walls
- walls strengthened with trapezium-formed pleats
- solid push-bar at both sides, made of anodised aluminium pipe, 25 mm diameter
- wheel alignment: 4 castor wheels of which 2 fixed and 2

GTC2



GTC1



Article Number	Inside BxDxH mm	Outside BxDxH mm
GFW22 380 litres	1000 x 650 x 580	1115 x 690 x 855
GFW23 615 litres	1400 x 700 x 620	1515 x 740 x 895
GTC1 280 litres	1000 x 700 x 400	1030 x 730 x 710
GTC2 945 litres	1500 x 900 x 700	1680 x 930 x 970

Transport Containers Aluminium



Transport Trolley with fold-down or lowering Front Wall (GTWK11-13)

- material: aluminium
- very robust and inherently stable
- low weight
- all-round rim and base-profile for strengthening the container walls
- walls strengthened with trapezium-formed pleats
- wheel alignment: 4 castor wheels, of which 2 fixed with brakes

Aluminium Transport Container open (GTW)

- material: aluminium
- very robust and inherently stable
- low weight
- all-round rim and base-profile for strengthening the container walls
- walls strengthened with trapezium-formed pleats
- wheel alignment: 4 castor wheels, of which 2 fixed with brakes

Transport Trolley with hinged Lid (GTC350)

- material: aluminium
- very robust and inherently stable
- low weight
- all-round rim and base-profile for strengthening the container walls
- walls strengthened with trapezium-formed pleats
- hinged lid and two solid locks
- one all-round shock protection plate at bottom
- 4 castor wheels, of which 2 fixed and 2 with brakes
- solid push bar at both front ends

Article Number		Inside BxDxH mm	Outside BxDxH mm
GTC350	322 litres	960 x 550 x 610	1040 x 635 x 845
GTWK11	355 litres	900 x 500 x 800	930 x 530 x 985
GTWK12	650 litres	1250 x 645 x 800	1280 x 675 x 985
GTWK13	1050 litres	1250 x 700 x 1200	1280 x 730 x 1430
GTW20D	322 litres	960 x 550 x 610	990 x 580 x 770

GTWK13



GTWK12
with hinged over



GTW20D
with lid



GTC350



Aluminium Transport Baskets without Lid (TK)

- Material: aluminium, strength 1 mm
- securely stackable
- cup handles at the narrow side
- replaceable synthetic bands along the base

Aluminium Transport Boxes with hinged Lids (TKD)

- Material: aluminium, strength 1 mm,
- securely stackable
- spring handles at the narrow side, plastic coated, with return spring
- fixed hinged lid with foam rubber sealing (dust and splash water proof)
- two solid locks

TK



TKD42



TKD73



Article Number	Capacity	Weight
TK50-L	50 litres	2.5 kg
TK50	50 litres	2.6 kg
TK82-L	82 litres	3.5 kg
TK82	82 litres	3.6 kg
TK122-L	122 litres	4.5 kg
TKD26	26 litres	2.7 kg
TKD29	29 litres	4.2 kg
TKD42	42 litres	3.9 kg
TKD60	60 litres	4.3 kg
TKD73	73 litres	4.6 kg

Article Number	Inside BxDxH mm	Outside BxDxH mm
TK50-L	544 x 340 x 270	564 x 360 x 288
TK50	544 x 340 x 270	564 x 360 x 288
TK82-L	703 x 436 x 270	723 x 456 x 288
TK82	703 x 436 x 270	723 x 456 x 288
TK122-L	703 x 436 x 400	723 x 456 x 418
TKD26	353 x 253 x 310	388 x 288 x 340
TKD29	553 x 253 x 150	588 x 388 x 180
TKD42	550 x 350 x 220	585 x 385 x 243
TKD60	550 x 350 x 310	585 x 385 x 333

Transport Container Aluminium



GTW20



Aluminium Transport Container open (GTW)

- material: aluminium
- very robust and inherently stable
- low weight
- all-round rim and base-profile for strengthening the container walls
- walls strengthened with trapezium-formed pleats
- wheel alignment: 4 castor wheels, of which 2 fixed with brakes

GTWK21



Closed Aluminium Transport Container with foldable Front Wall and divided Lid (GTWK)

- material: aluminium
- all-round rim and base-profile for strengthening the container walls
- sidewalls strengthened with pleats
- hinged lid divided into 2 in middle, with 2 solid locks
- front wall folds down once
- solid push-bar on every side
- one all-round shock protection plate at bottom
- one draining hole, front middle, flooring slanted towards
- 4 castor wheels, of which 2 fixed with brakes

Optionally available: PVC bumper at the top



GTW-L



Article Number	Inside BxDxH mm	Outside BxDxH mm
GTW10 223 litres	700 x 550 x 580	730 x 580 x 740
GTW20 322 litres	960 x 550 x 610	990 x 580 x 770
GTW30 415 litres	1000 x 640 x 650	1030 x 670 x 835
GTW40 560 litres	1250 x 650 x 685	1280 x 680 x 870
GTW50 656 litres	1250 x 700 x 750	1280 x 730 x 935
GTW-L 430 litres	1100 x 600 x 650	1130 x 630 x 835
GTWK21 690 ltrs	1000 x 575 x 1200	1090 x 665 x 1475
GTWK22 1050 ltrs	1250 x 700 x 1200	1340 x 790 x 1475

**Transport Trolley for sterile Materials
for inner Module Frames**

- Chassis: satin finished stainless steel plate
- folded pyramid roof for a better water flow
- 2 double plate doors with all-round silicone seal; fixable at 255° and 270°
- 4 vertical push bars on the edges
- all-round protective bumpers
- 2 rigid castors and 2 castor wheels Ø 160 mm with brakes
- interior equipped with guide for inner module frames

CI-STGW-IRA63-2

interior with guide rails for 1 inner frame for module CI-IRA63-2



CI-STGW-2xIRA63-1

interior with guide rails for 1 inner frame for module CI-IRA63-1



CI-STGW-IRA643-2/IRA63-3

interior with guide rails for 1 inner frame for modules
CI-IRA63-2 or CI-IRA63-3



CI-STGW-2xIRA64-1

interior with guide rails for 2 inner frames for module CI-IRA64-1



Article Number	Inside BxDxH mm	Outside BxDxH mm
CI-STGW-IRA63-2	800 x 640 x 1150	1010 x 710 x 1470
CI-STGW-2xIRA63-1	800 x 640 x 1150	1010 x 710 x 1470
CI-STGW-IRA63-2/IRA63-3	1050 x 640 x 1150	1260 x 710 x 1470
CI-STGW-2xIRA64-1	1050 x 640 x 1150	1260 x 710 x 1470

Inner Frames for sterile Transport Trolleys

CI-IRA63-1 (single-row)

for bearing DIN containers and/or wire-netted baskets in 600 x 300 mm; frame consists of 3 pairs of bearing rails



CI-IRA63-2 (double-row)

for bearing DIN containers and/or wire-netted baskets in 600 x 300 mm; frame consists of 6 pairs of bearing rails



CI-IRA63-3 (three-row)

for bearing DIN containers and/or wire-netted baskets in 600 x 300 mm; frame consists of 9 pairs of bearing rails



CI-IRA64-1 (single-row)

for bearing DIN containers and/or wire-netted baskets in 600 x 400 mm; frame consists of 3 pairs of bearing rails



CI-IRA64-2 (double-row)

for bearing DIN containers and/or wire-netted baskets in 600 x 400 mm; frame consists of 6 pairs of bearing rails



Article Number	Total Dimensions BxDxH mm
CI-IRA63-1	356 x 600 x 1040
CI-IRA63-2	687 x 600 x 1040
CI-IRA63-3	1018 x 600 x 1040
CI-IRA64-1	453 x 600 x 1040
CI-IRA64-2	881 x 600 x 1040

Transport Trolley for sterile Materials with Bearing Rails for Modules

This trolley has been developed for transferring and transporting the infected and / or contaminated instruments so that they can be cleaned and subsequently sterilized for final return to the destination departments.

- Chassis: satin finished stainless steel plate
- folded pyramid roof for a better water flow
- 2 double plate doors with all-round silicone seal; fixable at 255° and 270°
- 4 vertical push bars on the edges
- all-round protective bumpers
- 2 rigid castors and 2 castor wheels Ø 160 mm with brakes

CI-STGW3-9-H

- interior divided into three parts; with bearing rails for DIN container (600 x 300 mm)
- 3 x 3 pairs of bearing rails, stainless steel,



CI-STGW2-6-H

- interior divided in two; with bearing rails for DIN container (600 x 300 mm)
- 2 x 3 pairs of bearing rails, stainless steel height adjustable 110 mm



CI-STGW2-16-F

- interior divided in two; with bearing rails for DIN container (600 x 300 mm)
- 2 x 8 pairs of fixed bearing rails, stainless steel, distance each 125 mm



CI-STGW3-24-F

- interior divided into three parts with bearing rails for DIN container (600 x 300 mm)
- 3 x 8 pairs of fixed bearing rails, stainless steel, distance each 125 mm



CI-STGW2-20-F

- interior divided in two; with bearing rails for DIN container (600 x 400 mm)
- 2 x 10 pairs of fixed bearing rails, stainless steel, distance each 125 mm



CI-STGW1-10-F

- interior with bearing rails for DIN container (600 x 400 mm)
- 10 pairs of fixed bearing rails, stainless steel, distance each 125 mm



Article Number	Inside BxDxH mm	Outside BxDxH mm
CI-STGW2-6-H	800 x 640 x 1150	1010 x 710 x 1470
CI-STGW3-9-H	1050 x 640 x 1150	1260 x 710 x 1470
CI-STGW2-16-F	800 x 640 x 1150	1010 x 710 x 1470
CI-STGW3-24-F	1050 x 640 x 1150	1260 x 710 x 1470
CI-STGW1-10-F	510 x 640 x 1150	720 x 710 x 1470
CI-STGW2-20-F	1050 x 640 x 1150	1260 x 710 x 1470

Sterile Transport Trolley
with fixed Stainless Steel Shelves

- Chassis: satin finished stainless steel plate
- folded pyramid roof for a better water flow
- 2 double plate doors with all-round silicone seal; fixable at 255° and 270°
- 4 vertical push bars on the edges
- all-round protective bumpers
- 2 rigid castors and 2 castor wheels Ø 160 mm with brakes
- interior with 2 shelves, electrolytically polished

CI-STGW-FB-1



CI-STGW-FB-2



Article Number	Inside BxDxH mm	Outside BxDxH mm
CI-STGW-FB-1	800 x 640 x 1150	1010 x 710 x 1470
CI-STGW-FB-2	1050 x 640 x 1150	1260 x 710 x 1470

Transport Trolleys for sterile Materials
with removable Stainless Steel Shelves

- Chassis: satin finished stainless steel plate
- folded pyramid roof for a better water flow
- 2 double plate doors with all-round silicone seal; fixable at 255° and 270°
- 4 vertical push bars on the edges
- all-round protective bumpers
- 2 rigid castors and 2 castor wheels Ø 160 mm with brakes
- interior with 2 removable shelves, electrolytically polished stainless steel

CI-STGW-FB-1-A



CI-STGW-FB-2-A



Article Number	Inside BxDxH mm	Outside BxDxH mm
CI-STGW-FB-1-A	800 x 640 x 1150	1010 x 710 x 1470
CI-STGW-FB-2-A	1050 x 640 x 1150	1260 x 710 x 1470

Rack Trolley for sterile Materials

- stainless steel frame for hanging shelves, distance 110 mm
- 4 castor wheels Ø 125 mm

CI-STGR



Cabinet for sterile Materials

Suitable for storage of sterilization containers and / or baskets for sterile sets and various packaging materials.

CI-STG-SCHRANK



Article Number		Total Dimensions BxDxH mm
CI-STGR-60	Rack Trolley Frame	600 x 600 x1800
CI-EFB-60	Stainless steel shelf	600 x 540
CI-EGB-60	Stainless steel grid shelf	600 x 540
CI-STGR-100	Rack Trolley Frame	1000 x 600 x1800
CI-EFB-100	Stainless steel shelf	1000 x 540
CI-EGB-100	Stainless steel grid shelf	1000 x 540
CI-STGR-120	Rack Trolley Frame	1200 x 600 x1800
CI-EFB-120	Stainless steel shelf	1200 x 540
CI-EGB-120	Stainless steel grid shelf	1200 x 540
CI-STGR-140	Rack Trolley Frame	1400 x 600 x1800
CI-EFB-140	Stainless steel shelf	1400 x 540
CI-EGB-140	Stainless steel grid shelf	1400 x 540



Drip Stand Pediatric / IIFSKI

- material: stainless steel/plastic
- screw safety height adjustment
- Regulating range: 1.350 - 2.000 mm
- bottle holder: plastic; 4 safety bottle hooks - 2 kg / hook
- 5 wheels with brake, Ø 50 mm
- base diameter: 635 mm



Different variations are possible:

- 1.: colours: yellow, blue, green; airplane wheels
- 2.: colours: green, black, yellow; mouse wheels
- 3.: colours: red, black, yellow; airplane wheels

Wheels for Drip Stand Pediatric „Mouse“ and „Airplane“



Drip Stand / IFS

- material: stainless steel
- single handed safety height adjustment
- length outer tube: 1.000 mm
- Regulating range: 1.350 - 2.150 mm
- bottle holder: stainless steel
- 4 safety bottle hooks - 2 kg / hook
- 5 wheels with brakes, Ø 50 mm, electrically conductive
- base diameter: 635 mm



Drip Stands

Drip Stand OP / IFSOP

- material: stainless steel
- single handed safety height adjustment
- length outer tube: 1000 mm
- Regulating range: 1.350 - 2.150 mm
- bottle holder: stainless steel
- 4 safety bottle hooks - 2 kg / hook
- 5 wheels with brakes, Ø 80 mm, electrically conductive
- base diameter: 635 mm



Drip Stand Urology / IFSURO

- material: stainless steel
- single handed safety height adjustment
- with soft drop system
- Regulating range: 1.900 - 2.800 mm
- bottle holder: stainless steel
- 4 safety bottle hooks - 5 kg / hook
- 5 wheels with brakes, Ø 75 mm, electrically conductive
- base diameter: 800 mm



Drip Stand Intensive Care / IFSI

- material: stainless steel
- single handed safety height adjustment
- Regulating range: 1.500 - 2.350 mm
- bottle holder: stainless steel
- 4 safety bottle hooks - 2 kg / hook
- 4 castor wheels with brake, Ø 75 mm
- electrically conductive
- base diameter: 680 mm



Drip Stand MRI / IFSMRT

- material: stainless steel
- MRI suitability: 1,5 Tesla
- screw safety height adjustment
- Regulating range: 1.350 - 2.150 mm
- bottle holder: plastic
- 4 safety bottle hooks - 2 kg / hook
- 5 wheels with brake, Ø 50 mm
- electrically conductive
- base diameter: 635 mm



IFS-FK

bottle holder for IV-pole / drip stand
material: plastic
colour: blue
with 4 safety hooks; 2kg/hook



IFS-FKE

bottle holder for drip stand / IV-pole; injection model
material: stainless steel
4 security bottle hooks; load capacity: 5 kg/hook



IFS-FKE5

for drip stand / IV-pole; screwing model
material: stainless steel
4 security bottle hooks; load capacity: 5 kg/hook



IFS-PH2

holder for pump for 2 pumps
material: stainless steel
height adjustable
for round tube 25 mm



Drip Stand

Possible Configuration



IFS-FH

infusion bottle holder for drip stand / IV-pole; screwing model
material: stainless steel; for tube Ø 18 mm
with 2 bottle hooks and 2 baskets; load capacity: 2 Kg per basket/hook



IFS-PH4

holder for pump for 4 pumps
material: stainless steel
height adjustable
for round tube 25 mm



Drip Stands



IFS-ES1
euro-rack for tube Ø 25 mm
1-fold, height adjustable



IFS-ES2
euro-rack for tube Ø 25 mm
2-fold



IFS-SGK
foldable push bar



IFS-SG
push bar
Material: stainless steel; height adjustable
with hand wheel



IFS-GK
wire-netted basket
BxDxH = 300 x 200 x 100 mm



IFS-AP
shelf; stainless steel
height adjustable with hand wheel



OP-Stool OPH

- five-arm aluminium base
- Material upholstery: easy-care synthetic leather
- antistatic, fire resistant

- base with 5 antistatic castor wheels, diameter 50 mm, 2 with brakes
- dimension base: 600 mm; height: 550 - 800 mm

CI-OPHH

seating: round, Ø 360 mm
height adjustable with hydraulic pump



CI-OPHS

seating: round, Ø 360 mm
height adjustable with milled screw



CI-OPHS-ST

with saddle seat
height adjustable with milled screw



CI-OPHH-ST

with saddle seat



Tripod Stool RSH01

BxDxH: 520 x 430 x 740 mm
other heights on request



Operation Side Table with fixed Worktop

- material: stainless steel
- worktop is removable and autoclavable
- height adjustable, pedal with hydraulic pump
- 4 castor wheels, 2 with brakes



Article Number	Total Dimensions BxDxH mm
CI-OPBF66-54	660 x 540 x 880 - 1220
CI-OPBF70-45	700 x 450 x 880 - 1220
CI-OPBF60-40	600 x 400 x 880 - 1220

Operation Side Table with fixed, centered Worktop

- material: stainless steel
- worktop is removable and autoclavable
- height adjustable, pedal with hydraulic pump
- 4 castor wheels, 2 with brakes



Article Number	Total Dimensions BxDxH mm
CI-OPBZ66-54	660 x 540 x 880 - 1220
CI-OPBZ70-45	700 x 450 x 880 - 1220
CI-OPBZ60-40	600 x 400 x 880 - 1220

Operation Side Table with moveable Worktop

- material: stainless steel
- worktop is removable and autoclavable
- height adjustable, pedal with hydraulic pump
- 4 castor wheels, 2 with brakes



Article Number	Total Dimensions BxDxH mm
CI-OPBS66-54	660 x 540 x 880 - 1220
CI-OPBS70-45	700 x 450 x 880 - 1220
CI-OPBS60-40	600 x 400 x 880 - 1220

Heavy Load Operation Side Table

- material: stainless steel with swiveling worktop
- worktop is removable and autoclavable
- load capacity: 30 kg
- height adjustable, pedal with hydraulic pump
- 3 antistatic castor wheels, 2 with brakes



Article Number	Total Dimensions BxDxH mm
CI-OPBSL65-45	650 x 450 x 900 - 1300
CI-OPBSL75-55	750 x 550 x 900 - 1300

Mobile Instruments Table

- with 2 removable stainless steel shelves
- fixed version on request
- 4 bumper discs
- 4 castor wheels $\varnothing$ 75 mm, 2 with brakes

IE01



Article Number	Total Dimensions BxDxH mm
IE01	625 x 425 x 800

Instruments Table with Drawers

- material: stainless steel
- with two fixed stainless steel shelves
- 3-sided edge, height 20 mm
- 1 stainless steel drawer
- 2 push bars
- 4 bumper discs
- 4 castor wheels, diameter 125 mm, 2 with brakes
- working height: 830 mm

CI-IES-1
with 1 drawer



CI-IES-2
with 2 drawers



Article Number	Total Dimensions BxDxH mm
CI-IES-1	1200 x 600 x 950
CI-IES-2	1200 x 600 x 950

OP Equipment

Working and Storage Tables

- frame: stainless steel
- work surface: smooth stainless steel plate
- rounded edges
- height adjustable, pedal with hydraulic pump

Article number	Total dimensions BxDxH mm
CI-ATE140-H	1400 x 800 x 800 - 1200
CI-ATE160-H	1600 x 800 x 800 - 1200
CI-ATE180-H	1800 x 800 x 800 - 1200
CI-ATE200-H	2000 x 800 x 800 - 1200
CI-ATE220-H	2200 x 800 x 800 - 1200

CI-ATE-180-H

height adjustable, pedal with hydraulic pump



Working and Storage Tables

- frame: stainless steel
- work surface: solid core material white (HPL)
- water-, heat- and disinfectants resistant
- optionally mobile or as a floor model and with 1 or 2 shelves available.

Special designs are available on request.

ATE200F



Article Number		Total Dimensions BxDxH mm
ATE150F	mobile 1 shelf	1500 x 650 x 850
ATE150F-2	mobile 2 shelves	1500 x 650 x 850
ATE200F	mobile 1 shelf	2000 x 650 x 850
ATE200F-2	mobile 2 shelves	2000 x 650 x 850
ATE250F	mobile 1 shelf	2500 x 650 x 850
ATE250F-2	mobile 2 shelves	2500 x 650 x 850

ATE200



Article Number		Total Dimensions BxDxH mm
ATE150	floor model 1 shelf	1500 x 650 x 850
ATE150-2	floor model 2 shelves	1500 x 650 x 850
ATE200	floor model 1 shelf	2000 x 650 x 850
ATE200-2	floor model 2 shelves	2000 x 650 x 850
ATE250	floor model 1 shelf	2500 x 650 x 850
ATE250-2	floor model 2 shelves	2500 x 650 x 850

Operation Room Step OPT01



Operation Room Step OPT02



Bowl Retainer SST01



Trolley for Abdominal Bandages BTW01



Hook Trolley HW01



Article Number	Total Dimensions BxDxH mm
OPT01	600 x 350 x 250
OPT02	600 x 700 x 450
SST01	700 x 600 x 800
BTW01	700 x 400 x 1205
HW01	610 x 490 x 1450

Room Cleaning Trolley RW01



Lab Coat Stand KI01



stainless Steel Fabrications

Here you can find various examples of our stainless steel fabrications. All examples are available in various sizes and formats.

We would be pleased to make you a tailor-made offer.

Custom-made products on request.

Mangle Rack MB01



Article Number	Total Dimensions BxDxH mm
RW01	1080 x 460 x 1040
KI01	1550 x 595 x 1660
MB01	1000 x 500 x 1100

UF6

Urine bottles holder wall mounting



TE4

Toilet pails wall mounting



SB4

Bedpans wall mounting



TW-US8



There are also individual combinations of e.g. bed pans and urine bottle holders possible.

Article Number	Total Dimensions BxDxH mm
UF2 2 mountings	30 x 210 x 350
UF4 4 mountings	30 x 210 x 650
UF6 6 mountings	30 x 210 x 950
SB2 2 mountings	230 x 250 x 350
SB4 4 mountings	230 x 250 x 650
SB6 6 mountings	230 x 250 x 950
TE2 2 mountings	265 x 290 x 435
TE4 4 mountings	265 x 290 x 905
TE6 6 mountings	265 x 290 x 1375
TW-US8	710 x 430 x 1150
WSU	950 x 300 x 480

WSU

Wall Shelf



WSRR16



WSR08



WSR24



Shoe Racks

Here are some examples of our different types of shoe racks. All models are available in different sizes and styles.

SRW40



Article Number		Total Dimensions BxDxH mm
WSRR16	wall shelf 16 pairs	995 x 130 x 965
WSR08	wall shelf 8 pairs	275 x 130 x 2180
WSR16	wall shelf 16 pairs	515 x 130 x 2180
WSR24	wall shelf 24 pairs	755 x 130 x 2180
WSR32	wall shelf 32 pairs	995 x 130 x 2180
WSR40	wall shelf 40 pairs	1235 x 130 x 2180
SRW40	shoe rack trolley 40 pairs	1100 x 500 x 1650

ModernArt Office Swivel Chairs

The chair series ModernArt offers the perfect combination of futuristic design and functionality at the same time. Lightness and elegance meet dynamism and ensure a feeling of well-being at the work place.

The netting in the back area supports the natural form of the spine and ensures through the best possible pressure distribution for the highest form of seating comfort.

Increase the concentration and performance of your employees and bring colour to the work place!

The ModernArt chair presents itself as innovative and ergonomic and effortlessly fulfils all requirements of active seating support.

This swivel chair series is available in different colours.



ModernArt Swing

The ModernArt swing chair with the netted back is permeable to air and breathable and as such offers your employees and guests comfortable, yet presentable seating. The netted back adjusts ergonomically to the human body and thus makes comfortable sitting for extended durations possible.

- breathable netted back part, transparent netting
- seat upholstery available in many different colours and materials
- steel frame made of round pipe available in black, silver-aluminium or chrome

We would be pleased to make you an individual offer!



Seating

Relax'n'Fit Office Swivel Chair

In this product it's all in the name: this chair combines a unique seating experience with a fine sense of minimalistic design. Around 80.000 hours are spent sitting by the average office worker- a posture that is everything, but healthy.

This should be reason enough to dedicate special attention to seating arrangements when designing work environments. Thanks to the dynamic synchronous-mechanics you are supported optimally in every sitting posture thinkable.

- dynamic synchronous-mechanics with integrated seating-tilt-regulation
- gas pressure spring with deep cushioning
- spring load regulation sideways, 45 - 120kg
- hard or soft arm-rests
- arm-rests can be adjusted in height and can tilt out
- optionally available with tilting head-rest
- further options: lumbar support, seat depth adjustment
- numerous colour and material options



From head to toe perfectly adjustable to you:

The Relax'n'Fit chair series offers various adjustment possibilities for healthier sitting, which are there to support and relieve you at work.

The high back-rest, with optional head-rest, can also be delivered with adjustable lumbar support. The sliding seating area allows for all leg lengths and working positions. Three types of arm-rests with various adjustment options ensure a relieving posture of shoulders and upper body muscles.

We would be pleased to advise you on your individual requirements.





Relax'n'Fit Cantilever Chair and Leg Chair

A modern chair with a special seating experience. The backrest is pleasantly flexible and offers space for relaxation. Optically complimentary to the Relax'n'Fit office swivel chair, this is the perfect chair for your visitors.

- cantilever chair with arm-rests stackable or non-stackable
- 4 leg chair with or without arm-rests, non-stackable
- available in many different colour schemes and materials
- optional with embroidered logo

We would be pleased to advise you on your individual requirements.



Notes

List of Abbreviations

ABS	ISO-module, diff. vers.	FM	shelf, diff. vers.
ABSK	ISO basket	FP	base plate
ABSTOP	ABS synthetic top	FS8100	tea cart
ADEF	tray for defibrillator	GAE	stainless steel closeable dustbin, diff. vers.
AHS	fold-out protection for S70/S70L	GB	stainless steel grid shelf, various sizes
AK	stainless steel pull-out clothing rail	GF	spring-base trolley
ASD/ASK	stopping device for wire-netted and plastic baskets	GK	wire-netted basket, diff. vers.
ASM	stopping device for ABS- and PC-modules	GK2 - GK4	rubber toggle for linen nets, diff. vers.
ASPC4305-N	stopping device for PC-module PC4305-N	GSE	waste collector, diff. vers.
ATE	working and storage table, diff. vers.	GM	closed module trolley, diff. vers.
BS	push bar, diff. vers.	GS	aluminium cabinet trolley
BSML	B-Smart-Lock, electronic locking system	GTC/GTW/GTWK	transport trolley, diff. vers.
BSR	push bar for rack trolley	GTR2	skeleton container trolley
BTW01	trolley for abdominal bandages	H	textile protective cover for sorting racks, diff. vers.
CETOS	Phoenixcare-functional trolley, diff. vers.	help	fire extinguisher system
CI-...	OP equipment (shelves, cabinet, stools, tables)	HMF	magnetic holder mounted on chassis
CW	computer trolley, diff. vers.	HSB	glove box mounting, diff. vers.
D	set wire loops for drill machine	HW01	hook trolley
DD	drill machine	HWW	linen bags, warm- or hot water soluble
DDK	drill machine with chain	HZS	radiant heater for baby changing trolley
DEM	lid with magnet for all laundry trolleys	HZS-H	stainless steel mounting for radiant heaters
DESI	disinfection station	IAB	surgical instrument container with stainless steel fitting
DESICENTER	disinfection centre	IE	mobile instruments table, diff. vers.
DFST	door holder central, for hinged-folding door	IF	drip stand / IV-pole, diff. vers.
DFT	hinged-folding door	IFH	drip stand holder / IV-pole holder, diff. vers.
DIBE	white toggle with ring, diff. vers.	IFS	accessories for IV pole
DMS	disinfectant dispenser, diff. vers.	IPW	iPad-trolleys
DMSV	disinfectant closure plate, diff. vers.	IPH001	iPad mounting wall mounting
EAK	tubular frame, diff. vers.	K	linking feature
EBHES	stainless steel container for euro-rack	KB	synthetic waste bin, diff. vers.
EC/EE/EL	pedal dust bin, various sizes	KBW	synthetic base-tub, diff. vers.
EDVW	IT trolley, diff. vers.	KDH/KDS	loose plastic lid, diff. vers.
EDW	ergonomic documentation trolley	KF	clamping springs
EK	standardised label holders for rack systems	KI	lab coat stand
ENDO61000	endoscopic trolley	KKE, KKR	catheter tube, diff. vers.
ENDOHR	endoscopic bracket	KKL	brackets for border poles
EPD	stainless steel pump with dosing limitation for disinfectant dispenser	KNEBEL-ROT	toggle
ES	euro-rack, diff. vers.	KSR	combined sorting trolleys
EWK	stainless steel recyclables cabinet	KW01/KW02	catheter trolley, diff. vers.
F4/F6	compartment divider, various sizes	KW4/KW5	combined waste collector
FHL/FHR	F-mounting, mounted left/right	KW90	plastic tube, diff. vers.
FLEXISTORE	storage system FLEXISTORE	LAW	laptop-trolley, diff. vers.
		LGP	bag cassette for waste collector
		LTS	divider lengthwise, diff. vers.

List of abbreviations

MB01	mangle rack	SB4	bedpans holder
MB	Cannula disposal container	SCHUETTE	bins, diff. vers.
MBH	Mounting for cannula disposal container	SEALSAFE	waste sealing unit
MBHS	Cannula disposal container mounting (set)	SEG/SEM/SEV	multi-purpose trolley
MEDI	medicine trolley, diff. vers.	SF50	Side compartments
MH/MH-VESA	monitor holder, diff. vers.	SFH01	oxygen-cylinder holder
MOD	module trolley series, diff. vers.	SH	"S"-hooks
MT1, MT2	furniture safe, diff. vers.	SLAZ450	heavy load extention drawer
MRSA	MRSA-trolley, diff. vers.	SLIDE	hygienic waste bin „SLIDE“, diff. vers.
MTW	girder support	SM	drawer module, diff. vers.
MUBH	mounting for mouth protection box, diff. vers.	SPA	extendable working surface, diff. vers.
N	linen net, diff. vers.	SR	sorting rack trolley, diff. vers.
NA	stainless steel waste collector "Compact", diff. vers.	SR400	adhesive ring, diff. vers.
NKV	file and ward round trolley, diff. vers.	SRW	shoe rack, diff. vers.
NOVOVAC	vacuum device NOVOVAC	SSR	shock protection disc
NRS01	kidney dish	SST01	bowl retainer
NSW	system trolley modula, diff. vers.	ST	standing racks base unit
NW	stainless steel linen collector "Compact" and „Compact Plus“, diff. vers.	STE	front wall trolley
NWE	recyclables collector Series 2000	SW	laundry trolley, diff. vers.
NWK	stainless steel recyclables cabinet Series 3000	TBW/TW	tray trolley, diff. vers.
NWKA	aluminium recyclables cabinet	TE	wall mounting, diff. vers.
OMW	open module trolley, diff. vers.	TEXT-MRSA	Sticker MRSA
OPT	operation room step	TH	T-mounting
P	corner posts, diff. vers.	TK	transport box, diff. vers.
PACTOSAFE	waste sealing unit, Pactosafe	TPS01	transponder lock
PAW	patient care and nursing trolley, diff. vers.	TRE	stainless steel transport trolley, diff. vers.
PC	ISO-module, diff. vers.	TRE-AP	hinged shelf for TRE
PCT	divider for ISO-module, diff. vers.	TS	drip pan, diff. vers.
PHA4ES	brochure holder for euro-rack	TSE	swab dispenser
PHE	stainless steel coat hooks	TVD	pedal with dumping function, diff. vers.
PHK	plastic coat hooks	TW1/TW2	linen bag, diff. vers.
PSS	power supply system	UF	urine bottles wall wounting, diff. vers.
QTS	slotted rail holders, diff. vers.	UTBES	implement basket
R	rack trolley, diff. vers.	WKK	waste collector with colored synthetic container
RG	border grid, diff. vers.	WW1/WW2	stainless steel undercarriage with plastic tube
RGE	tubular frame, diff. vers.	WW	baby changing trolley, diff. vers.
RIFIX	directional locking	WICKELAUFLAGE	baby's changing pad, diff. vers.
RLS	slotted rail holder	WSR	shoe rack for wall mounting
RP01	reanimation panel	WSU	stainless steel wall shelf
RSB, RSD	border poles, diff. vers.	WTW	linen bag, diff. vers.
RUWI	roll-up utility trolley	ZE	cenrtal lock
RW01	room cleaning trolley	ZFS	master adjusting device
S40/S70	waste collector „Genius“	ZS	combination lock
		ZSE	room recyclable Collector, diff. vers.
		ZY	cylindrical lock




**Note: Some items may have been discontinued by 2025.
Please contact our sales department for further information.**

Our goal is to provide you products and solutions that meet the latest design, technology and functional requirements.
Therefore, we have different processes to improve our products.

As part of these processes, there are optimizations as well as modifications or changes in production
that are relevant to your products.

Product changes are a sign of improvement and advancing manufacturing, but may cause variations
in color, style and texture of the products.

Errors and omissions excepted.



Bürgermeister-Schröder-Straße 12-20 • 26683 Saterland Germany
Phone +49 4498 707500 • info@novocal.de • www.novocal.de